



## **Bobby Jones Golf Course – Phase 1, 2, & 3**

### ***Tree Assessment***

For:  
LONG Engineering, Inc.  
2550 Heritage Court, Suite 250  
Atlanta, GA 30339

By:  
Ben Kent, PLA  
ISA Certified Arborist #SO-7070A  
Arboguard Tree Specialists, Inc.  
PO Box 477 / 111 North Clarendon Avenue  
Avondale Estates, GA 30002

January 30, 2017  
Version 1.1

## Assignment

Survey, tag and record the following data for ALL trees meeting the size criteria  $\geq 12''$  in Diameter at Breast Height (DBH) site-wide: tree number, diameter, species, vitality, and other comments relative to condition.

## Methods

Information for the following parameters was recorded for each tree and provided in the following survey.

Term	Description
<b>Tree No.</b>	All trees were tagged with an aluminum tag bearing a unique number to identify trees. Trees located within open areas were tagged at or near the root crown in an inconspicuous location. Trees within heavily forested areas were tagged at breast height and were also flagged with green and white striped surveyors tape.
<b>DBH</b>	Diameter of trunk in inches, measured at 4.5' feet above average soil level. Measurements were taken using a forestry diameter tape.
<b>Species</b>	Listed as the North American common name.
<b>Condition</b>	<p><b>Good</b>.....Tree has excellent vigor and is actively growing without any serious pathogenic problems. Tree exhibits a structural form that is safe and typical of the species.</p> <p><b>Fair</b>.....Tree is in moderate health, but may have a minor pathogenic problem. Some insects and disease could be present. Tree may have minor structural defects, but does not exhibit optimal form for the species in an urban environment. A tree in fair condition may not react favorably to site developments or additional stress.</p> <p><b>Poor</b> .....Tree's vigor is low to moderate. It may also have moderate to severe structural defects or a form that is undesirable for the species. Some trees in poor condition are not recoverable and could degrade into a state of advanced decline leading to death.</p> <p><b>Dead</b>.....Tree is dead.</p> <p><b>Invasive</b> ..Trees that are non-indigenous to the Atlanta area, Piedmont region.</p> <p><b>Hazardous</b>Tree with uncorrectable defects severe enough to pose present danger to people or buildings under normal conditions, as determined by a City Arborist or City Forester.</p>
<b>Comments</b>	Additional information regarding health and condition of the trees.

## Executive Summary

1182 trees were tagged on this site that met the tree size criteria.

143	trees are in Good condition (12.1%)
574	trees are in Fair condition (48.6%)
430	trees are in Poor condition (36.4%)
3	trees are Invasive species (0.2%)
32	trees are in Dead condition (2.7%)

## Tree Assessment Data

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1	20	Tulip Poplar	Fair	Slight vine coverage, sinuous upper canopy
2	12	Water Oak	Fair	Slight vine coverage
3	17	Tulip Poplar	Fair	Slight vine coverage, codominant at approximately 40'
4	13	Tulip Poplar	Fair	Moderate vine coverage, lean in upper canopy
5	31	White Oak	Fair	Multiple large dead limbs, recent critical root zone impact with fill, slight vine coverage
6	27	White Oak	Fair	Heavy vine coverage, contorted trunk, few dead limbs
7	17	Tulip Poplar	Good	Slight vine coverage, sinuous trunk
8	16	Tulip Poplar	Good	Slight vine coverage
9	40	Tulip Poplar	Fair	Utility line pruning, slight vine coverage, few dead limbs, slight lean, critical root zone impacted
10	13	Tulip Poplar	Good	Moderate vine coverage
11	14	Tulip Poplar	Good	
12	12,8	Winged Elm	Poor	codominant at root crown with weak stem union, heavy vine coverage, approximately 20% dieback
13	24	White Oak	Poor / Hazardous	Approximately 50% canopy dieback, utility line pruning, basal wound at root crown with decay
14	31	Tulip Poplar	Poor	Utility line pruning, heavy vine coverage, slight lean in upper canopy, heavy vine coverage, critical root zone impacted $\approx$ 50% will fill

AG TAG #	DBH	SPECIES	CONDITION	NOTES
15	42	Tulip Poplar	Fair	Utility line pruning, approximately 40% critical root zone impacted, moderate vine coverage, new sewer headwall within structural root plate
16	18	Tulip Poplar	Poor	Sinuuous trunk, severe utility line pruning
17	21	Tulip Poplar	Poor	Utility line pruning, rip rap over critical root zone, moderate lean, moderate vine coverage
18	18	Tulip Poplar	Fair	Moderate vine coverage, multiple dead limbs, suppressed canopy
19	32	Tulip Poplar	Fair	Slight lean over creek, few dead limbs, sinuous trunk
20	55	White Oak	Good	Few dead limbs, over extended limbs
21	23	Tulip Poplar	Poor	Compromised critical root zone due to creek, severe lean in canopy
22	20	Beech	Fair	Calloused basal wound from approximately 2' to approximately 4', slight vine coverage
23	18	Hickory	Poor / Hazardous	Wound with decay from root crown to approximately 3', suppressed canopy
24	31	White Oak	Good	Large dead limb
25	14	Tulip Poplar	Fair	Approximately 40% of critical root zone impacted, moderate vine coverage
26	13	Tulip Poplar	Good	
27	23	Water Oak	Fair	codominant at approximately 40' with weak stem union
28	23	White Oak	Poor / Hazardous	Basal cavity with decay from root crown to approximately 3', multiple large dead limbs, moderate vine coverage
29	12	Tulip Poplar	Good	
30	29	White Oak	Poor / Hazardous	Basal cavity from root crown to approximately 2' with fungal fruiting bodies, multiple large dead limbs, impacted critical root zone
31	18	Blackgum	Poor	Severe vine coverage, suppressed canopy
32	34	Tulip Poplar	Fair	Asymmetrical canopy, few dead limbs
33	53	Tulip Poplar	Good	Multiple large dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
34	22	Tulip Poplar	Good	
35	27	White Oak	Fair	Asymmetrical canopy, few dead limbs
36	31	White Oak	Fair	codominant at approximately 40' with weak stem union and included bark, few dead limbs
37	26	White Oak	Good	Moderate vine coverage
38	13	Tulip Poplar	Fair	Sinuuous trunk, asymmetrical canopy, suppressed canopy
39	29	Tulip Poplar	Good	Over-extended limbs
40	17	Tulip Poplar	Good	Slight vine coverage, slight phototropic lean
41	22	Tulip Poplar	Good	
42	29	Tulip Poplar	Good	Asymmetrical canopy
43	12	Tulip Poplar	Fair	Asymmetrical canopy, suppressed canopy, phototropic lean
44	13	Tulip Poplar	Fair	Suppressed canopy, epicormic sprouts
45	23	Tulip Poplar	Good	Asymmetrical canopy
46	20	Tulip Poplar	Fair	Asymmetrical canopy, phototropic lean, sinuous trunk
47	15	Tulip Poplar	Poor	Severe crook in trunk, multiple dead limbs, severe phototropic lean, asymmetrical canopy
48	28	Tulip Poplar	Good	Few dead limbs
49	12	Tulip Poplar	Fair	Asymmetrical canopy, suppressed canopy
50	15	Tulip Poplar	Fair	Significant phototropic lean, asymmetrical canopy, few dead limbs
51	14	Tulip Poplar	Fair	Suppressed canopy, moderate vine coverage
52	35	Tulip Poplar	Good	Few large dead limbs
53	14	Tulip Poplar	Poor	Significant phototropic lean, suppressed canopy, few dead limbs
54	28	Tulip Poplar	Poor	Asymmetrical canopy, suppressed canopy, multi-stem at approximately 25', phototropic lean, codominant at approximately 4' with included bark
55	21	Tulip Poplar	Poor	Critical root zone compromised with creek, asymmetrical canopy, suppressed canopy, phototropic lean

AG TAG #	DBH	SPECIES	CONDITION	NOTES
56	19	Tulip Poplar	Poor	Critical root zone compromised with creek, multiple large dead limbs
57	33	Tulip Poplar	Poor	Critical root zone compromised with creek, multiple large dead limbs, codominant at approximately 6'
58	33	Tulip Poplar	Fair	Critical root zone compromised with creek, multiple large dead limbs
59	29	Tulip Poplar	Fair	Few large dead limbs, moderate vine coverage
60	20	Tulip Poplar	Fair	Multiple small dead limbs, slight vine coverage
61	16	Tulip Poplar	Poor	Asymmetrical canopy, suppressed canopy, phototropic lean, multiple large dead limbs, sinuous trunk
62	19	Sweetgum	Fair	Critical root zone compromised with creek
63	14	Tulip Poplar	Poor	Asymmetrical canopy, suppressed canopy, severe phototropic lean, sinuous trunk
64	32	Tulip Poplar	Fair	Asymmetrical canopy, phototropic lean, heavy vine coverage, few large dead limbs
65	20	Tulip Poplar	Fair	Critical root zone compromised with creek
66	14	Willow	Poor	Approximately 50% dieback, sinuous trunk
67	19	Cottonwood	Poor	Asymmetrical canopy, suppressed canopy, phototropic lean, sinuous trunk
68	12	Mulberry	Poor	Main trunk failure with basal cavity, sinuous trunk
69	24	Cottonwood	Fair	Moderate vine coverage, slight phototropic lean
70	16	Tulip Poplar	Fair	Critical root zone compromised with creek, heavy vine coverage
71	29	Tulip Poplar	Fair	Critical root zone compromised with creek, few dead limbs
72	19,12	Tulip Poplar	Poor	codominant at root crown, top broken out, critical root zone compromised with creek
73	20	Tulip Poplar	Poor	Asymmetrical canopy, critical root zone compromised with creek, codominant lead dead

AG TAG #	DBH	SPECIES	CONDITION	NOTES
74	16	Tulip Poplar	Fair	Few dead limbs, slight crook in trunk at root crown
75	12	Mulberry	Poor	Multiple dead limbs, multiple basal wounds from root crown to approximately 6'
76	12	Mimosa	Invasive	Significant phototropic lean
77	31	Tulip Poplar	Fair	codominant at approximately 50', multiple small dead limbs
78	22	Tulip Poplar	Good	Slight vine coverage
79	15	Tulip Poplar	Poor	Asymmetrical canopy, suppressed canopy, severe phototropic lean, basal wound at approximately 5'
80	18	Sycamore	Good	Sinuous trunk
81	≈ 15	Sweetgum	Poor	Critical root zone compromised with creek, missing large limbs, slight vine coverage
82	≈ 33	Tulip Poplar	Poor	Basal wound with approximately 50% cavity with decay, top broken out
83	14	Sweetgum	Fair	Moderate vine coverage, located on steep embankment
84	27	Sweetgum	Poor	codominant at approximately 5', basal cavity from root crown to approximately 2', severe vine coverage
85	13	Pin Oak	Poor	Severe vine coverage, suppressed canopy
86	16	Sweetgum	Good	Phototropic lean
87	22	Sweetgum	Poor	codominant at approximately 50', phototropic lean, located on steep embankment, structural root plate exposed due to erosion
88	15	Zelkova	Good	Few dead limbs
89	14	Zelkova	Good	Few dead limbs
90	23	Silver Maple	Fair	codominant at approximately 6', leader broken out, multiple basal cavities, few dead limbs
91	17	Black Cherry	Good	Asymmetrical canopy
92	14	Black Cherry	Good	Asymmetrical canopy
93	18	Black Cherry	Good	Asymmetrical canopy

AG TAG #	DBH	SPECIES	CONDITION	NOTES
94	16	Basswood	Good	codominant at approximately 30', few dead limbs
95	17	Black Cherry	Good	Asymmetrical canopy
96	19	Black Cherry	Good	Asymmetrical canopy
97	18	Basswood	Fair	codominant at approximately 5' with crack in union, few dead limbs
98	13	Basswood	Fair	Suppressed canopy, multiple dead limbs, phototropic lean
99	30	Loblolly Pine	Good	Few dead limbs
100	33	Loblolly Pine	Fair	Few dead limbs, fusiform canker from approximately 3' to approximately 8'
101	24	Sawtooth Oak	Good	Few dead limbs
102	15,15,10	Sawtooth Oak	Fair	codominant at approximately 1', few dead limbs
103	18	Sawtooth Oak	Good	Few dead limbs
104	28	Bradford Pear	Fair	Over extended and sagging limb, basal cavities at approximately 4'
105	14	Sugar Maple	Good	Presence of mistletoe, possible girdling roots
106	12	Magnolia	Good	Few dead limbs
107	29	Silver Maple	Good	Presence of mistletoe, large broken limb
108	12	White Oak	Good	
109	28	Magnolia	Fair	Basal cavity with decay from approximately 3' to approximately 6', attached light fixture
110	23	Zelkova	Fair	Basal cavity from root crown to approximately 1', possible girdling root, multiple dead limbs
111	26	Silver Maple	Good	Multi-stem union at approximately 6'
112	15	Sugar Maple	Good	Few dead limbs
113	32	Silver Maple	Good	Multi-stem union at approximately 8', few dead limbs



AG TAG #	DBH	SPECIES	CONDITION	NOTES
114	27	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
115	17	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
116	25	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
117	24	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
118	27	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
119	24	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
120	28	Burford Holly	Poor / Hazardous	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
121	27	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
122	31	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale

AG TAG #	DBH	SPECIES	CONDITION	NOTES
123	23	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
124	27	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
125	24	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
126	23	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
127	28	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
128	25	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
129	27	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
130	18	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
131	30	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale

AG TAG #	DBH	SPECIES	CONDITION	NOTES
132	32	Burford Holly	Poor	Multi-stem union at root crown, basal cavity with decay at root crown, epicormic sprouts, multiple dead limbs, pruning wounds, presence of scale
133	23	Magnolia	Poor	Approximately 30% of canopy thinning, calloused wounds from root crown to approximately 10', few dead limbs
134	28	Loblolly Pine	Fair	codominant at approximately 5', multiple dead limbs, large limb with stress fractures
135	20	Loblolly Pine	Dead	
136	28	Sweetgum	Good	
137	33	Loblolly Pine	Good	Attached speakers, 1 large over extended limb, multiple dead limbs
138	14	Redbud	Fair	Multiple dead limbs, signs of borer insects, mechanical damage to exposed roots
139	39	Green Ash	Good	Multiple small dead limbs, presence of mistletoe
140	21	Tulip Poplar	Good	Multiple dead limbs
141	12	Hackberry	Fair	Few dead limbs, signs of pest infestation, poor form
142	14,13	Silver Maple	Fair	codominant at root crown, multiple dead limbs, sinuous trunk
143	12,6	Boxelder	Poor	codominant at root crown, multiple areas of vehicular damage, girdling vines
144	12	Sweetgum	Good	Asymmetrical canopy
145	13	Sweetgum	Good	Few dead limbs
146	16,9	Boxelder	Poor	Fungal fruiting bodies, multiple large dead limbs, moderate vine coverage, multiple limb failures
147	14	Boxelder	Poor	Fungal fruiting bodies, moderate vine coverage
148	13	Boxelder	Poor	Fungal fruiting bodies, moderate vine coverage
149	17	Boxelder	Poor	Fungal fruiting bodies, moderate vine coverage

AG TAG #	DBH	SPECIES	CONDITION	NOTES
150	24	Winged Elm	Fair	Moderate amount of deadwood, poor form, some vine coverage, codominant at approximately 6'
151	29	Tulip Poplar	Good	Few dead limbs
152	30	Tulip Poplar	Good	Damage to exposed roots, small amount of deadwood, few over extended limbs
153	32	Loblolly Pine	Good	Few large dead limbs
154	27	Loblolly Pine	Fair	Sinuous trunk, codominant at approximately 50', phototropic lean, few dead limbs
155	23	Loblolly Pine	Poor	Fusiform canker, suppressed canopy, area of decay at root crown
156	40	White Oak	Good	Few over extended limbs
157	30	Tulip Poplar	Fair	Large dead limb, sinuous trunk, included rock at root crown
158	33	Loblolly Pine	Good	Few dead limbs
159	31	White Oak	Good	Few dead limbs, few limb failures
160	13,12,8	Water Oak	Poor	Multi-stem union at root crown, significant amount of deadwood, included concrete slab at root crown
161	34	White Oak	Good	Few dead limbs
162	18	White Oak	Good	Epicormic sprouts, few dead limbs, multiple over extended limbs
163	38	White Oak	Good	Few large dead limbs, asymmetrical canopy
164	29	Post Oak	Good	Few dead limbs
165	34	White Oak	Poor	Few large dead limbs, basal cavity from root crown to approximately 3', approximately 10* lean
166	14	Sweetgum	Good	Some vine coverage
167	31	Southern Red Oak	Fair	Crook in trunk at approximately 40', large over extended limbs, significant lean
168	32	Post Oak	Fair	Over extended limbs, moderate lean
169	34	Southern Red Oak	Good	Slight lean
170	28	Post Oak	Fair	Few dead limbs, over extended limbs, asymmetrical canopy
171	33	Post Oak	Good	Asymmetrical canopy

AG TAG #	DBH	SPECIES	CONDITION	NOTES
172	34	Southern Red Oak	Fair	Few large dead limbs, multiple old limb failures, over extended limbs, some vine coverage
173	13	Water Oak	Fair	Slight lean, suppressed canopy, asymmetrical canopy
174	21	Tulip Poplar	Poor	Utility line pruning, suppressed central lead, supporting other tree branch
175	20	Loblolly Pine	Fair	Few large dead limbs, golf ball damage to trunk
176	51	Tulip Poplar	Good	Minor utility line pruning, few small dead limbs, small basal wound at root crown
177	38	Tulip Poplar	Fair	Few large dead limbs, slight phototropic lean, minor utility line pruning, basal cavity with decay from root crown to approximately 4'
178	16	Water Oak	Poor	Critical root zone impacted by adjacent construction, codominant at approximately 16' with weak stem union
179	16	Winged Elm	Poor	Recent large limb failure, significant amount of deadwood, possible right-of-way tree
180	12	Red Maple	Fair	Right-of-way tree, critical root zone impacted by adjacent construction, codominant at approximately 6'
181	31	Water Oak	Fair	Multiple dead limbs, golf ball damage to trunk, slight lean, calloused basal wound from approximately 6' to approximately 15'
182	41	Water Oak	Fair	Golf ball damage to trunk, multiple dead limbs, presence of mistletoe, signs of bacterial wetwood, critical root zone impacted by adjacent construction
183	24	Loblolly Pine	Good	
184	14	Red Maple	Good	Few dead limbs, small basal cavity in canopy
185	22	Loblolly Pine	Fair	Poor form, pine pitch tubes, fusiform canker on limb

AG TAG #	DBH	SPECIES	CONDITION	NOTES
186	25	Pignut Hickory	Good	
187	32	Post Oak	Poor / Hazardous	Basal cavity consisting of approximately 60% of trunk circumference from root crown to approximately 30', multiple large dead limbs
188	29	Loblolly Pine	Poor / Hazardous	Approximately 50% of tree broken out, large dead limb, basal cavity from root crown to approximately 10'
189	42	Tulip Poplar	Fair	Recent large limb failure, heavy vine coverage
190	26	Loblolly Pine	Poor	Severe vine coverage, approximately 20% canopy thinning, few dead limbs
191	16	Mulberry	Poor	Heavy vine coverage, codominant at approximately 6', multiple dead limbs
192	13,9	Boxelder	Poor	Heavy vine coverage, severe lean, phototropic lean, suppressed canopy
193	24	Boxelder	Poor	Multiple large dead limbs, heavy vine coverage, codominant at approximately 6'
194	12	Boxelder	Poor	Multiple large dead limbs, codominant at approximately 4'
195	12	Boxelder	Poor	Severe vine coverage, phototropic lean
196	14,7	Mulberry	Poor	Heavy vine coverage, significant phototropic lean
197	47	Tulip Poplar	Fair	Severe vine coverage, large over extended limb, limb failures
198	15	Mulberry	Poor	Severe vine coverage, severe phototropic lean, multiple large dead limbs
199	45	Tulip Poplar	Fair	Over extended limbs, epicormic sprouts along trunk
200	12	Tulip Poplar	Poor	Basal cavity from root crown to approximately 3', basal cavity with rot and decay from approximately 10' to approximately 14'
201	30	Loblolly Pine	Fair	Heavy vine coverage, slight lean, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
202	45	White Oak	Fair	Moderate vine coverage, multiple dead limbs, recent limb failures
203	12,12	Hackberry	Poor	codominant at root crown with included bark
204	17	Hackberry	Poor	codominant at approximately 8' with included bark, slight lean
205	13	Boxelder	Fair	Heavy vine coverage
206	13	Boxelder	Poor	Heavy vine coverage, poor form
207	12	Mulberry	Fair	Moderate vine coverage, weak stem union, significant deadwood
208	14	Mulberry	Fair	codominant at approximately 3' with weak stem union, significant lean, significant deadwood
209	12	Mulberry	Poor	Multi-stem union, severe lean over creek
210	26	Hackberry	Fair	Basal wound from approximately 3' to approximately 5', codominant at approximately 12', heavy vine coverage, significant lean
211	≈ 22	Mulberry	Poor	Severe lean, approximately 75% rotted and decayed
212	14	Sycamore	Fair	Severe vine coverage, large burls around trunk at approximately 3'
213	14,11	Boxelder	Fair	codominant at root crown, significant lean over creek, heavy vine coverage
214	13	Boxelder	Fair	Significant lean over creek, severe vine coverage
215	12	Boxelder	Fair	Moderate lean over creek
216	15	Mulberry	Poor	Severe vine coverage, approximately 50% of tree blown out, extensive amounts of rot and decay
217	17	Mulberry	Poor	Severe vine coverage, extensive amounts of rot and decay
218	13	Mulberry	Poor	Severe vine coverage, extensive amounts of rot and decay
219	13	Mulberry	Poor	Severe vine coverage, recent limb failures, severe crook in trunk
220	≈ 16	Mulberry	Poor	Severe vine coverage, extensive amounts of rot and decay
221	11	Winged Elm	Fair	Severe vine coverage

AG TAG #	DBH	SPECIES	CONDITION	NOTES
222	48	Sycamore	Fair	Severe vine coverage, critical root zone eroded by creek, basal cavity with decay from root crown to approximately 6'
223	16	Sycamore	Fair	Suppressed canopy, asymmetrical canopy, critical root zone eroded by creek
224	31	Tulip Poplar	Fair	Sinuuous trunk, codominant at approximately 40', asymmetrical canopy
225	13	Boxelder	Poor	Severe vine coverage, significant lean, approximately 20% canopy dieback
226	20	Hackberry	Fair	codominant at approximately 20' with weak stem union
227	20	Boxelder	Poor / Hazardous	Severe vine coverage, approximately 50% of tree blown out, extensive amounts of rot and decay
228	17	Green Ash	Fair	Severe vine coverage, codominant at approximately 12', significant vine coverage
229	25	White Oak	Fair	codominant at approximately 12', significant vine coverage
230	15	Silver Maple	Poor	Severe vine coverage, asymmetrical canopy
231	17	Boxelder	Poor	Significant lean, moderate vine coverage
232	13	Boxelder	Poor	Approximately 40% canopy dieback, epicormic sprouts
233	15	Boxelder	Poor	Approximately 30% canopy dieback, epicormic sprouts, moderate vine coverage, basal cavity from root crown to approximately 6'
234	12	Winged Elm	Fair	Phototropic lean, moderate vine coverage
235	14	Boxelder	Dead	
236	12	Willow	Poor	Multi-stem union at approximately 16' with 1 leader dead, moderate vine coverage
237	34	Cottonwood	Good	Few dead limbs
238	26	Cottonwood	Fair	Phototropic lean, few dead limbs, moderate vine coverage



AG TAG #	DBH	SPECIES	CONDITION	NOTES
239	21	Cottonwood	Good	Asymmetrical canopy, few dead limbs
240	17	Winged Elm	Fair	Suppressed canopy, codominant at approximately 8' with weak stem union and included bark
241	12	Boxelder	Poor	Severe vine coverage, significant phototropic lean, suppressed canopy
242	24	Winged Elm	Fair	Moderate vine coverage, few dead limbs, asymmetrical canopy, basal cavity at root crown
243	17	Willow	Poor	codominant at approximately 3', significant phototropic lean, severe epicormic sprouts
244	13	Winged Elm	Fair	Phototropic lean, moderate vine coverage
245	14	Winged Elm	Fair	Phototropic lean, moderate vine coverage
246	13,12,12	Red Maple	Poor / Hazardous	Multi-stem union at root crown with 2 leads dead, severe amounts of rot and decay
247	12	Winged Elm	Fair	Suppressed canopy, phototropic lean, supporting limbs of adjacent trees
248	15	Winged Elm	Good	
249	16,15,12,10	Silver Maple	Fair	Multi-stem union at root crown, moderate epicormic sprouts, over extended leads
250	12	Boxelder	Poor	codominant at root crown, severe vine coverage, approximately 30% dieback
251	12	Hackberry	Poor	Critical root zone impacted by creek, sinuous trunk, moderate vine coverage
252	16	Green Ash	Fair	Severe vine coverage, few dead limbs
253	≈ 48	Silver Maple	Fair	Multi-stem union at root crown, critical root zone impacted by creek, stress fractures, recent limb failures
254	14	Winged Elm	Fair	Critical root zone impacted by creek, multiple weak stem unions with included bark, moderate vine coverage

AG TAG #	DBH	SPECIES	CONDITION	NOTES
255	31	Silver Maple	Fair	Signs of bacterial wetwood, codominant at approximately 8', critical root zone impacted by creek, asymmetrical canopy
256	16	Silver Maple	Poor	Signs of bacterial wetwood, severe vine coverage, suppressed canopy, asymmetrical canopy, epicormic sprouts
257	15	Silver Maple	Poor	Signs of bacterial wetwood, severe vine coverage, suppressed canopy, asymmetrical canopy, epicormic sprouts
258	20	Silver Maple	Poor	Signs of bacterial wetwood, severe vine coverage, suppressed canopy, asymmetrical canopy, weak stem union at approximately 8'
259	27	Cottonwood	Good	Few large dead limbs
260	23	Cottonwood	Good	Recent large limb failure
261	12	Sycamore	Fair	Few dead limbs, moderate vine coverage, phototropic lean, suppressed canopy
262	22	Cottonwood	Good	Asymmetrical canopy
263	13	Silver Maple	Fair	codominant at approximately 20', moderate vine coverage, suppressed canopy
264	20	Cottonwood	Good	Few dead limbs
265	13	Cottonwood	Dead	
266	14	Cottonwood	Fair	Suppressed canopy, severe phototropic lean, moderate vine coverage
267	20	Cottonwood	Fair	Suppressed canopy, severe phototropic lean, moderate vine coverage
268	33	Cottonwood	Good	Lower dead limb at root crown, moderate vine coverage, few dead limbs
269	12	Boxelder	Poor	Approximately 30% canopy dieback, multiple dead limbs, moderate vine coverage
270	18	Green Ash	Good	Critical root zone impacted by concrete structure
271	17	Silver Maple	Fair	Phototropic lean, suppressed canopy, weak stem union at approximately 4'

AG TAG #	DBH	SPECIES	CONDITION	NOTES
272	12	Boxelder	Poor	Approximately 50% top blown out, epicormic sprouts, basal cavity from root crown to approximately 10'
273	13,8	Boxelder	Poor	codominant at root crown, severe vine coverage, multiple dead limbs
274	21	Sycamore	Good	Few dead limbs, moderate vine coverage
275	14	Tulip Poplar	Fair	Suppressed canopy, severe vine coverage
276	12	Winged Elm	Fair	Moderate vine coverage, multiple small dead limbs, asymmetrical canopy
277	14	Winged Elm	Poor	codominant at approximately 6', phototropic lean, asymmetrical canopy, suppressed canopy, moderate vine coverage
278	21	Hackberry	Fair	Multiple dead limbs, critical root zone impacted by concrete structure, fruiting fungal bodies
279	≈ 18	Winged Elm	Fair	Multiple dead limbs, critical root zone impacted by concrete structure
280	≈ 14	Winged Elm	Fair	Multiple dead limbs, critical root zone impacted by concrete structure
281	17	Green Ash	Good	Slight phototropic lean
282	12	Boxelder	Fair	Significant phototropic lean
283	21	Silver Maple	Poor / Hazardous	Basal cavity with decay from root crown to approximately 5', signs of bacterial wetwood
284	15	Sycamore	Fair	Phototropic lean, asymmetrical canopy, few small dead limbs
285	15	Green Ash	Fair	Moderate vine coverage, asymmetrical canopy
286	24	Tulip Poplar	Good	Few dead limbs, moderate vine coverage
287	13	Tulip Poplar	Good	Sinuous trunk, moderate vine coverage
288	18	Silver Maple	Good	Few dead limbs
289	16	Tulip Poplar	Good	Moderate vine coverage, few dead limbs
290	23	Sycamore	Good	Moderate vine coverage
291	15	Tulip Poplar	Fair	Asymmetrical canopy, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
292	12	Paulownia	Invasive	Severe vine coverage, significant lean (seed pods like redbud)
293	≈ 38	Sycamore	Good	Critical root zone impacted by creek, moderate vine coverage
294	12	Winged Elm	Poor	Severe vine coverage, critical root zone impacted by creek
295	16,10	Boxelder	Poor	codominant at root crown, critical root zone impacted by creek
296	14	Boxelder	Dead	
297	≈ 42	Sycamore	Poor	Multi-stem union at root crown, severe vine coverage, basal cavity at approximately 8', critical root zone impacted by creek
298	20	Green Ash	Fair	Multiple dead limbs, moderate vine coverage, significant lean
299	16	Hackberry	Good	Severe vine coverage
300	12	Hackberry	Good	Severe vine coverage
301	15	Boxelder	Poor	Significant lean, epicormic sprouts, multiple dead limbs
302	21	Boxelder	Poor	Multiple dead limbs, trunk is hollow
303	15	Tulip Poplar	Poor	Approximately 50% top blown out, moderate vine coverage
304	21	Tulip Poplar	Fair	Moderate vine coverage, weak stem union at approximately 3', dead limb with decay
305	12	Boxelder	Poor	Approximately 20% canopy dieback, large dead limb, epicormic sprouts
306	12	Boxelder	Poor	Severe vine coverage, epicormic sprouts, large dead limb
307	13	Unknown	Fair	Possible girdling roots
308	12	Boxelder	Poor	Epicormic sprouts, severe vine coverage, basal cavity with decay at approximately 8'
309	21	Silver Maple	Fair	Epicormic sprouts, asymmetrical canopy, recent limb failure
310	15	Green Ash	Good	Few dead limbs, asymmetrical canopy
311	13	Green Ash	Good	Few dead limbs
312	15	Silver Maple	Fair	Epicormic sprouts, few dead limbs
313	20	Silver Maple	Good	Slight lean
314	25	Silver Maple	Good	Epicormic sprouts
315	13	Green Ash	Good	Few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
316	16	Green Ash	Fair	Few dead limbs, few basal cavities from limb drop
317	18	Green Ash	Fair	Epicormic sprouts, codominant at approximately 12', multiple small dead limbs
318	33	Cottonwood	Good	
319	12	Boxelder	Poor	Multiple large dead limbs, moderate vine coverage, epicormic sprouts
320	17	Silver Maple	Fair	Epicormic sprouts, sinuous trunk, moderate vine coverage
321	22	Cottonwood	Poor	Severe crook in trunk at approximately 30', basal cavity at approximately 30', few dead limbs
322	17	Boxelder	Poor	Multi-stem union at approximately 3', hollow main lead, severe vine coverage, approximately 30% dieback
323	15,12	Boxelder	Poor	Multi-stem union at root crown, eroded structural root plate, severe vine coverage, approximately 30% dieback
324	49	Water Oak	Poor	Multiple large limb failures, severe vine coverage, presence of mistletoe
325	44	Water Oak	Poor / Hazardous	Multiple large dead limbs, old limb failures, severe vine coverage, basal cavity with decay from root crown to approximately 4'
326	51	Water Oak	Fair	Moderate vine coverage, multiple large dead limbs, multiple old limb failures
327	16	Tulip Poplar	Poor	Severe crook in upper canopy, multi-stem union at approximately 20', girdling root
328	15	Mulberry	Poor	Multi-stem union at root crown, basal cavity from approximately 2' to approximately 4', severe vine coverage, approximately 20% dieback
329	27	Sycamore	Fair	Severe vine coverage, few dead limbs, few old limb failures, located along creek embankment

AG TAG #	DBH	SPECIES	CONDITION	NOTES
330	12	Mimosa	Poor	Severe vine coverage, multi-stem union at root crown with dead lead, approximately 20% lean
331	25	Sycamore	Fair	Few dead limbs, asymmetrical canopy, located along creek embankment
332	24	Cottonwood	Good	Moderate vine coverage, located along creek embankment
333	15	Winged Elm	Fair	codominant at approximately 16', multiple dead limbs, locate along creek embankment
334	22	Sycamore	Fair	Slight lean, asymmetrical canopy, main lead lost, severe vine coverage
335	14	Boxelder	Poor	Severe crook at root crown over creek, severe vine coverage, approximately 30% dieback
336	15	Boxelder	Poor	Approximately 50% of tree is dead, severe vine coverage
337	16	Mulberry	Poor	Approximately 50% of tree is dead, severe vine coverage
338	12	Mulberry	Poor	Significant lean, approximately 50% of tree is dead, severe vine coverage
339	12	Boxelder	Poor	Severe vine coverage, multiple large dead limbs, approximately 40% dieback, located along creek embankment
340	12	Boxelder	Poor	Severe vine coverage, multiple large dead limbs, located along creek embankment
341	12	Boxelder	Poor	Approximately 50% of tree blown out, severe vine coverage
342	15	Boxelder	Dead	
343	31,22	Sycamore	Fair	codominant at root crown, few large dead limbs, significant vine coverage
344	57	Water Oak	Fair	Multiple large limb failures, multiple dead limbs, presence of mistletoe
345	12	Silver Maple	Good	codominant at approximately 30', epicormic sprouts
346	12	Silver Maple	Fair	Severe vine coverage, epicormic sprouts, multiple dead limbs
347	17	Silver Maple	Fair	Severe vine coverage, multiple dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
348	14	Winged Elm	Poor	codominant at approximately 8' with dead lead, severe vine coverage, significant lean
349	17,12	Silver Maple	Fair	Severe vine coverage, codominant at root crown with weak stem union, one leader with significant lean
350	27	Green Ash	Poor	codominant at approximately 4' with included bark, weeping basal wound at union, multiple dead limbs
351	13	Boxelder	Poor	Multiple dead limbs, lost leader, significant vine coverage, suppressed canopy
352	27	Sycamore	Fair	Located along creek embankment, few dead limbs, codominant at approximately 40'
353	14	Silver Maple	Fair	Slight lean, significant vine coverage
354	46	Water Oak	Fair	Multiple large dead limbs, old limb failures, presence of mistletoe, codominant at 30'
355	25	Sycamore	Good	Included chain
356	12	Boxelder	Poor	Fused with adjacent tree #357, approximately 40% dieback, moderate vine coverage
357	19	Sycamore	Poor	Lost main lead, fused with adjacent tree #356, moderate vine coverage, lost lead
358	13	Water Oak	Poor	Suppressed canopy, epicormic sprouts, included chain
359	40	Silver Maple	Fair	Multi-stem union at approximately 5' with weak stem union and included bark, moderate vine coverage
360	12,10	Winged Elm	Poor	codominant at root crown with weak stem union, fused trunks, significant phototropic lean
361	12	Winged Elm	Good	Few dead limbs
362	13	Green Ash	Good	Upper trunk in conflict with adjacent tree
363	12	Winged Elm	Poor	Severe vine coverage, codominant at approximately 25', approximately 30% dieback

AG TAG #	DBH	SPECIES	CONDITION	NOTES
364	58	Water Oak	Poor	Epicormic sprouts, significant tip dieback, severe presence of mistletoe, multiple large dead limbs
365	21	Hackberry	Poor	codominant at root crown with included bark, twisted leaders, severe vine coverage
366	19	Sycamore	Poor / Hazardous	Trunk is approximately 50% dead with decay
367	12,12,8	Green Ash	Poor	Multi-stem union at root crown, significant lean, located along creek embankment, suppressed canopy
368	21	Tulip Poplar	Fair	Severe vine coverage, few dead limbs
369	20	Boxelder	Poor	Severe vine coverage, multiple large dead limbs, codominant at approximately 8' with 1 lead dead, multiple basal cavities
370	14	Boxelder	Poor	Severe vine coverage, significant lean, lost main canopy
371	23	Sycamore	Poor	Main trunk corrected for blown over, codominant at approximately 10', significant vine coverage
372	13	Green Ash	Poor	Severe vine coverage, located along creek embankment, significant lean
373	14	Boxelder	Poor	codominant at approximately 4', possible girdling root, severe vine coverage, approximately 50% canopy dieback
374	12	Green Ash	Fair	codominant at approximately 6', multiple dead limbs
375	13	Ash	Good	Slight lean
376	26	Willow	Good	Few dead limbs
377	17	Hickory	Good	codominant at approximately 40'
378	12	Hickory	Good	Significant lean, located within creek channel
379	12	Hackberry	Fair	Sinuous trunk, severe vine coverage, multiple dead limbs
380	14	American Elm	Poor	Severe vine coverage, significant lean, multiple dead limbs
381	14	Black Cherry	Poor	Approximately 50% of tree blown out, epicormic sprouts, severe vine coverage



AG TAG #	DBH	SPECIES	CONDITION	NOTES
382	14	American Elm	Poor	Severe lean, severe vine coverage, located within creek channel
383	25	Black Cherry	Poor	codominant at root crown with 1 lead dead, severe vine coverage, approximately 30% canopy dieback
384	26	Sweetgum	Poor / Hazardous	Multiple large dead limbs, multiple basal cavities with decay at root crown
385	34	Sweetgum	Fair	Weak stem union at approximately 12', significant lean, multiple dead limbs
386	43	Tulip Poplar	Fair	codominant at approximately 30' with weak stem union and included bark, few dead limbs
387	21	Black Cherry	Poor	Approximately 30% dieback, severe vine coverage, multi-stem union at approximately 30'
388	13	American Elm	Fair	Moderate vine coverage, sinuous trunk
389	16	Bradford Pear	Fair	Moderate lean, tri-stem union at approximately 4' with weak stem union and included bark, multiple pruning wounds
390	40	Southern Red Oak	Fair	Epicormic sprouts, slight lean, few large dead limbs, mechanical damage to exposed roots, multiple pruning wounds
391	26	Post Oak	Fair	Moderate lean, asymmetrical canopy, multiple dead limbs, codominant at approximately 30' with included bark
392	27	White Oak	Poor	Moderate lean, heavy vine coverage, codominant at approximately 20', multiple dead limbs
393	40	White Oak	Fair	Heavy vine coverage, few dead limbs, fruiting fungal body at root crown
394	47	Southern Red Oak	Fair	Moderate lean, heavy vine coverage, calloused basal wound from root crown to approximately 8', multiple large dead limbs
395	45	White Oak	Good	Few large dead limbs
396	38	White Oak	Fair	Epicormic sprouts, few dead limbs, mechanical damage at root flare

AG TAG #	DBH	SPECIES	CONDITION	NOTES
397	18	Post Oak	Poor	Severe epicormic sprouts, tri-stem union at approximately 25' with weak stem union and included bark, asymmetrical canopy
398	37	White Oak	Fair	Moderate vine coverage, epicormic sprouts, asymmetrical canopy, few dead limbs
399	29	White Oak	Fair	Severe epicormic sprouts, asymmetrical canopy, weak stem union at approximately 25', few dead limbs
400	32	White Oak	Fair	Moderate vine coverage, codominant at approximately 15' with weak stem union and included bark, few dead limbs
401	36	Post Oak	Fair	Severe vine coverage, phototropic lean, asymmetrical canopy, few dead limbs
402	41	White Oak	Fair	Severe vine coverage, few dead limbs, epicormic sprouts, fruiting fungal bodies at root crown
403	33	White Oak	Fair	Moderate vine coverage, few dead limbs, epicormic sprouts
404	37	White Oak	Fair	Moderate vine coverage, multiple dead limbs, asymmetrical canopy
405	25	Post Oak	Fair	Heavy vine coverage, moderate phototropic lean, few dead limbs, asymmetrical canopy
406	34	White Oak	Fair	Heavy vine coverage, severe epicormic sprouts, codominant at approximately 25' with weak stem union and included bark, few dead limbs
407	17	Post Oak	Fair	Heavy vine coverage, severe epicormic sprouts, slight phototropic lean, asymmetrical canopy, few dead limbs
408	18	Post Oak	Poor / Hazardous	Moderate vine coverage, large basal cavity with decay from root crown to approximately 3', moderate phototropic lean, asymmetrical canopy
409	44	Southern Red Oak	Fair	Heavy vine coverage, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
410	37	White Oak	Fair	Heavy vine coverage, few dead limbs, asymmetrical canopy, slight lean, few dead limbs
411	34	White Oak	Dead	
412	28	White Oak	Fair	Moderate vine coverage, epicormic sprouts, moderate lean, few dead limbs
413	28	White Oak	Poor	Moderate vine coverage, epicormic sprouts, moderate lean, few dead limbs, asymmetrical canopy, poor form
414	33	White Oak	Fair	Slight vine coverage, epicormic sprouts, 1 large dead limb
415	42	White Oak	Fair	Slight lean, heavy vine coverage, few large dead limbs
416	26	Post Oak	Fair	Slight vine coverage, moderate phototropic lean, few dead limbs
417	28	White Oak	Good	Slight vine coverage, asymmetrical canopy, few dead limbs
418	22	Virginia Pine	Fair	Moderate phototropic lean, multiple dead limbs
419	29	Post Oak	Fair	Moderate vine coverage, epicormic sprouts, codominant at approximately 30' with included bark, utility line clearance pruning
420	36	Tulip Poplar	Fair	Few dead limbs, sounds hollow
421	33	Loblolly Pine	Fair	Slight lean, codominant at approximately 50' with weak stem union, asymmetrical canopy, few dead limbs
422	18	Virginia Pine	Poor	Fusiform canker at approximately 1', asymmetrical canopy, few dead limbs, poor form
423	9	Black Cherry	Fair	Asymmetrical canopy, signs of gummosis
424	25	Loblolly Pine	Fair	Multiple galls at root crown, asymmetrical canopy, few dead limbs, slight vine coverage
425	24	Post Oak	Fair	Slight vine coverage, asymmetrical canopy, moderate phototropic lean, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
426	32	White Oak	Fair	Heavy vine coverage, epicormic sprouts, multiple dead limbs
427	23	Loblolly Pine	Fair	Fusiform canker at approximately 5', moderate lean, multiple dead limbs
428	43	White Oak	Good	Heavy vine coverage, few dead limbs, epicormic sprouts
429	38	White Oak	Fair	Moderate vine coverage, moderate lean, asymmetrical canopy, few dead limbs
430	24	Loblolly Pine	Fair	Heavy vine coverage, codominant at approximately 25' with weak stem union, asymmetrical canopy
431	25	Sweetgum	Poor	codominant at approximately 4' with weak stem union and included bark, critical root zone eroded away by creek, asymmetrical canopy, utility line clearance pruning
432	12,8	Ash	Poor	codominant at approximately 2' with weak stem union and included bark, severe vine coverage, asymmetrical canopy, poor form
433	13	Ash	Poor	Severe lean, severe epicormic sprouts
434	18	Ash	Fair	Moderate phototropic lean, severe vine coverage, asymmetrical canopy
435	21	Sycamore	Fair	Moderate lean, asymmetrical canopy, moderate vine coverage
436	22	Sycamore	Fair	Moderate, lean, asymmetrical canopy, heavy vine coverage, epicormic sprouts
437	15	Ash	Fair	Moderate phototropic lean, severe vine coverage, asymmetrical canopy, few dead limbs
438	19	Silver Maple	Fair	Epicormic sprouts, moderate lean, asymmetrical canopy, few dead limbs
439	34	Sycamore	Fair	Multiple pruning wounds, few dead limbs
440	32	Sycamore	Fair	Moderate lean, asymmetrical canopy, few dead limbs
441	26	Sycamore	Poor	Severe lean, asymmetrical canopy, poor form
442	40	Ash	Fair	Severe epicormic sprouts, few dead limbs, presence of mistletoe

AG TAG #	DBH	SPECIES	CONDITION	NOTES
443	25	Ash	Poor / Hazardous	Severe epicormic sprouts, few dead limbs, presence of mistletoe, basal cavity with decay at approximately 2', topped out
444	34	Ash	Poor	Heavy vine coverage, codominant at approximately 35' with weak stem union and included bark, multiple dead limbs
445	49	Water Oak	Fair	Severe epicormic sprouts, multiple pruning wounds, presence of mistletoe, mechanical damage on exposed roots, signs of bacterial wetwood, multi-stem union at approximately 20'
446	13	Juniper	Poor	Multi-stem union at root crown, multiple pruning wounds, poor form
447	30	Water Oak	Poor / Hazardous	Severe epicormic sprouts, severe presence of mistletoe, multiple basal cavities with decay at root crown, mechanical damage on exposed roots, multiple large dead limbs, signs of bacterial wetwood
448	31	Water Oak	Fair	Epicormic sprouts, multiple pruning wounds, presence of mistletoe, mechanical damage on exposed roots
449	52	Sweetgum	Poor / Hazardous	Severe epicormic sprouts, codominant at approximately 6' with weak stem union and severe included bark, basal cavity with decay at root crown, mechanical damage on exposed roots, multiple fungal fruiting bodies, multiple large dead limbs
450	24	White Oak	Fair	Severe epicormic sprouts, mechanical damage on exposed roots, codominant at approximately 25' with weak stem union and included bark
451	40	White Oak	Poor / Hazardous	Moderate lean, basal cavity with decay at root crown, signs of bacterial wetwood, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
452	38	Southern Red Oak	Fair	Severe epicormic sprouts, mechanical damage on exposed roots, multiple large dead limbs
453	36	Water Oak	Fair	Severe epicormic sprouts, weak stem union at approximately 35' with included bark, few dead limbs, asymmetrical canopy
454	46	White Oak	Fair	Severe epicormic sprouts, few dead limbs
455	39	Tulip Poplar	Fair	Moderate vine coverage, few dead limbs, basal cavity with decay at approximately 20'
456	22	Loblolly Pine	Fair	Abnormal root flare, epicormic sprouts, asymmetrical canopy
457	42	Southern Red Oak	Fair	Moderate vine coverage, severe epicormic sprouts, few dead limbs, moderate lean
458	31	Post Oak	Poor / Hazardous	Approximately 95% of tree is dead
459	25	Hickory	Fair	Severe epicormic sprouts, few dead limbs, pruning wound with decay at approximately 20'
460	30	Hickory	Good	Moderate vine coverage, severe epicormic sprouts, few dead limbs
461	35	Southern Red Oak	Fair	Severe epicormic sprouts, asymmetrical canopy, few large dead limbs, calloused basal wound at root crown, signs of bacterial wetwood
462	50	Southern Red Oak	Fair	Signs of bacterial wetwood, severe epicormic sprouts, basal cavity with decay from root crown to approximately 6', multiple burls, presence of mistletoe, multiple dead limbs
463	40	Post Oak	Good	Severe epicormic sprouts, few dead limbs
464	56	Water Oak	Poor / Hazardous	codominant at approximately 3' with weak stem union and severe included bark, fungal fruiting bodies, signs of bacterial wetwood, presence of mistletoe

AG TAG #	DBH	SPECIES	CONDITION	NOTES
465	57	Southern Red Oak	Fair	Weak stem union at approximately 35', multiple dead limbs, moderate vine coverage, slight lean
466	8	Black Cherry	Poor	Slight lean, multiple dead limbs, topped out
467	22	Southern Red Oak	Fair	Slight lean, asymmetrical canopy, few dead limbs, heavy vine coverage
468	31	Water Oak	Poor	Epicormic sprouts, multiple dead limbs, tri-stem union at approximately 6' with weak stem union and included bark, signs of bacterial wetwood, poor form
469	14	Sweetgum	Fair	codominant at approximately 30', asymmetrical canopy
470	13	Sweetgum	Fair	Asymmetrical canopy, few dead limbs
471	12	Loblolly Pine	Fair	Asymmetrical canopy, many dead limbs
472	14	Green Ash	Fair	Moderate phototropic lean, co-dominant at approximately 20', weak stem union with included bark, few dead limbs, asymmetrical canopy
473	44	Southern Red Oak	Fair	Moderate phototropic lean, co-dominant at approximately 20', weak stem union with included bark, many dead limbs, asymmetrical canopy
474	6	Black Cherry	Poor	Severe lean, asymmetrical canopy, poor form, many dead limbs
475	44	Water Oak	Fair	Slight vine coverage,
476	26	Loblolly Pine	Fair	Moderate vine coverage, few dead limbs, suppressed canopy
477	31	Loblolly Pine	Fair	Slight lean, asymmetrical canopy, fusiform canker at root crown
478	31	Loblolly Pine	Fair	Many burls, asymmetrical canopies, slight phototropic lean
479	30	Loblolly Pine	Good	Moderate vine coverage, sinuous upper trunk/canopy, few dead limbs
480	47	Water Oak	Fair	Few epicormic sprouts, tri-stem at approximately 15', weak stem union with included bark, mechanical damage to roots

AG TAG #	DBH	SPECIES	CONDITION	NOTES
481	24	Hackberry	Poor	Severe vines, multi-stem at approximately 7', many dead limbs, many suckers from roots
482	24	Loblolly Pine	Fair	Few dead limbs, crook in upper trunk/canopy, slight photo lean, asymmetrical canopy
483	31	Loblolly Pine	Fair	Moderate vine coverage, sweeping trunk, asymmetrical canopy, few dead limbs
484	23	Loblolly Pine	Good	Asymmetrical canopy, sinuous upper trunk/canopy
485	24	Loblolly Pine	Fair	Moderate photo lean, crook in upper trunk/canopy, asymmetrical canopy
486	14	Loblolly Pine	Fair	Asymmetrical canopy, suppressed canopy, phototropic lean
487	10	Black Cherry	Fair	Severe sweep in trunk, asymmetrical canopy, many basal wounds
488	16	Loblolly Pine	Poor	Asymmetrical canopy, thin canopy, few dead limbs, topped out
489	13	Loblolly Pine	Fair	Few dead limbs, severe crook in upper trunk/canopy
490	23	Loblolly Pine	Good	Asymmetrical canopy
491	16	Loblolly Pine	Fair	Asymmetrical canopy, thin canopy
492	12	Loblolly Pine	Poor	Fusiform canker at root crown, crook in canopy, asymmetrical canopy, thin canopy
493	14	Loblolly Pine	Poor	Severe lean, asymmetrical canopy
494	26	Loblolly Pine	Fair	Slight lean, asymmetrical canopy, few dead limbs
495	19	Loblolly Pine	Fair	Asymmetrical canopy, suppressed canopy, thin canopy
496	26	Loblolly Pine	Fair	Heavy vine coverage, asymmetrical canopy, sinuous upper canopy, few dead limbs
497	26	Loblolly Pine	Fair	Slight phototropic lean, asymmetrical canopy, few dead limbs
498	28	Loblolly Pine	Good	Asymmetrical canopy, few dead limbs,
499	23	Loblolly Pine	Poor	Severe lean, fusiform canker at root crown, many basal wounds



AG TAG #	DBH	SPECIES	CONDITION	NOTES
500	17	Loblolly Pine	Fair	Fusiform canker at approximately 20', moderate phototropic lean, asymmetrical canopy, suppressed canopy
501	23	Loblolly Pine	Good	Moderate vine coverage, few dead limbs
502	6	Black Cherry	Poor	Weak stem union at approximately 1', codominant at approximately 5', many dead limbs, heavy vine coverage, many basal wounds
503	21	Loblolly Pine	Good	Moderate vine coverage, few dead limbs, asymmetrical canopy
504	13	Loblolly Pine	Poor	Slight lean, moderate vine coverage, asymmetrical canopy, thin canopy
505	16	Loblolly Pine	Poor	Moderate vine coverage, asymmetrical canopy, suppressed canopy, few dead limbs, fusiform canker at approximately 3'
506	28	Loblolly Pine	Fair	Fusiform canker from approximately 12' to 18', many dead limbs, asymmetrical canopy
507	12	Hickory	Fair	Slight lean, asymmetrical canopy, many basal wounds
508	22	Loblolly Pine	Fair	Moderate phototropic lean, asymmetrical canopy, few dead limbs
509	18	Loblolly Pine	Dead	
510	30	Loblolly Pine	Fair	Severe vine coverage, many dead limbs
511	13	Hickory	Fair	Severe vine coverage, few dead limbs, asymmetrical canopy,
512	57	Tulip Poplar	Fair	codominant at approximately 6', weak stem union with included bark, moderate lean, severe vine coverage, few dead limbs
513	6	Black Cherry	Poor	Severe vine coverage, topped out, poor form
514	16	Hickory	Fair	Severe phototropic lean, severe vine coverage, asymmetrical canopy
515	32	White Oak	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
516	20	Green Ash	Fair	Basal cavity at approximately 4', weak stem union at approximately 10', severe vine coverage few dead limbs
517	18	Green Ash	Fair	Severe vine coverage, severe lean
518	16	Hickory	Fair	Severe vine coverage, severe sinuous trunk, few dead limbs
519	15	Green Ash	Poor	Severe vine coverage, severe sinuous trunk, few dead limbs, epicormic sprouting, approximately 75% dead
520	20	Tulip Poplar	Fair	Heavy vine coverage, slight phototropic lean, asymmetrical lean
521	13	Hickory	Fair	Severe vine coverage, slight lean, epicormic sprouting
522	21	Tulip Poplar	Fair	Severe vine coverage, severe phototropic lean, co-dominate at approximately 25' with weak stem union, few dead limbs
523	12	Tulip Poplar	Fair	Severe vine coverage, moderate lean, severe epicormic sprouting, asymmetrical canopy
524	18, 14, 12	Water Oak	Poor	Tri-stem at root crown, heavy lean, severe epicormic sprouting, asymmetrical canopy
525	13	Sweetgum	Dead	
526	14	American Elm	Poor	≈ 85% dead
527	27	Tulip Poplar	Fair	Crook in trunk, asymmetrical canopy, few dead limbs
528	22	Water Oak	Poor	Calloused basal wound at root crown, severe crook in trunk, mistletoe, poor form
529	20	Loblolly Pine	Fair	Crook in upper leader/canopy, asymmetrical
530	14	Loblolly Pine	Fair	Moderate phototropic lean, fusiform canker at approximately 30', asymmetrical canopy
531	17	Loblolly Pine	Fair	codominant at approximately 40' with weak stem union, asymmetrical canopy, few dead limbs
532	32	Tulip Poplar	Fair	Severe vine coverage, many dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
533	20	Loblolly Pine	Fair	Fusiform canker at approximately 30' to 40', asymmetrical canopy, few dead limbs
534	37	White Oak	Fair	Moderate vine coverage, moderate phototrophic lean, asymmetrical canopy, few dead limbs
535	34	White Oak	Fair	Heavy vine coverage, co-dominant at approximately 35' with weak stem union, many burls, few dead limbs
536	13	White Oak	Fair	severe vine coverage, slight lean, asymmetrical canopy, suppressed canopy, many burls
537	29	White Oak	Good	Moderate vine coverage, few dead limbs
538	36	White Oak	Fair	Slight lean, many large dead limbs
539	17	White Oak	Fair	Moderate vine coverage, moderate phototrophic lean, asymmetrical canopy, few dead limbs
540	36	Northern Red Oak	Fair	Tri-stem at approximately 40', asymmetrical canopy, few dead limbs
541	15	Southern Red Oak	Fair	Heavy vine coverage, few large dead limbs, slight lean, asymmetrical canopy
542	15	Hickory	Fair	Heavy vine coverage, slight phototrophic lean, asymmetrical canopy, few dead limbs
543	14	Hickory	Poor	Basal cavity at root crown to approximately 5', heavy vine coverage, asymmetrical canopy, severe crook in trunk
544	12	Hickory	Fair	Severe vine coverage, moderate phototrophic lean, few dead limbs
545	15	Hickory	Fair	Severe vine coverage, moderate phototrophic lean, few dead limbs, asymmetrical canopy
546	37	Northern Red Oak	Fair	Severe vine coverage, few dead limbs, mistletoe
547	18	Hickory	Fair	Severe vine coverage, codominant at approximately 20' with weak stem union, slight lean, asymmetrical canopy
548	24	White Oak	Fair	Severe vine coverage, sinuous trunk, asymmetrical canopy, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
549	34	Tulip Poplar	Fair	Severe vine coverage, phototropic lean, few dead limbs
550	13	Water Oak	Fair	Severe vine coverage, severe epicormic sprouting, severe vine coverage, phototropic lean, asymmetrical canopy
551	32	Loblolly Pine	Good	Heavy vine coverage, few large dead limbs, asymmetrical canopy
552	10	Black Cherry	Poor	Moderate lean, sinuous trunk, many dead limbs, severe vine coverage
553	19	Loblolly Pine	Fair	Heavy vine coverage, crook in upper canopy asymmetrical canopy
554	24	Loblolly Pine	Fair	Moderate vine coverage, sinuous upper stem, many dead limbs
555	40	Tulip Poplar	Poor / Hazardous	Basal cavity at root crown, many basal cavities with decay, recent leader die off, codominant at approximately 45'
556	31	Tulip Poplar	Fair	Severe vine coverage, many dead limbs, asymmetrical canopy
557	19	Hickory	Fair	Severe vine coverage, moderate phototropic lean, asymmetrical canopy
558	15	Hickory	Fair	Severe vine coverage, moderate phototropic lean, asymmetrical canopy, few dead limbs
559	12	Tulip Poplar	Dead	
560	17	Hickory	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
561	35	Southern Red Oak	Fair	Severe vine covered, moderate phot lean, asymmetrical canopy
562	12	Sourwood	Poor	Severe vine covered, moderate phot lean, asymmetrical canopy, basal wound with decay at approximately 20'
563	17	White Oak	Fair	Heavy vine coverage, slight phot lean, asymmetrical canopy
564	20	White Oak	Fair	Heavy vines coverage, moderate phototropic lean, asymmetrical canopy, sinuous upper stem
565	31	White Oak	Good	codominant at approximately 40', few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
566	12	Hickory	Fair	Slight lean, heavy vine coverage, asymmetrical canopy
567	15	White Oak	Fair	Severe vine coverage, asymmetrical and suppressed canopy
568	26	Loblolly Pine	Fair	Moderate lean, few dead limbs, asymmetrical canopy
569	21	Loblolly Pine	Fair	Crook in upper leader/canopy, thin canopy
570	14	Hickory	Fair	Weak stem union at approximately 20' with included bark, sinuous trunk, few dead limbs
571	19	White Oak	Poor	Many dead limbs, sinuous trunk, moderate phototropic lean, asymmetrical canopy
572	26	Loblolly Pine	Poor	Crack / fissure from root crown to approximately 6', moderate lean, asymmetrical canopy
573	18	White Oak	Fair	Slight lean, sinuous trunk, few dead limbs
574	23	Hickory	Fair	Slight vine coverage, few dead limbs, many horizontal fissures
575	43	White Oak	Fair	Large burl at approximately 8', few large dead limbs, heavy vine coverage
576	12	Hickory	Fair	Severe vine coverage, few dead limbs
577	23	White Oak	Fair	Heavy vine coverage, phototropic lean, few dead limbs, many burls
578	14	White Oak	Fair	Heavy vine coverage, many burls, epicormic sprouts, few dead limbs
579	23	Loblolly Pine	Fair	Moderate vine coverage, many dead limbs, asymmetrical canopy
580	24	Loblolly Pine	Poor	Moderate vine coverage, many burls, asymmetrical and thin canopy
581	18	White Oak	Fair	Severe vine coverage, phototropic lean, asymmetrical canopy
582	13	White Oak	Fair	Severe vine coverage, phototropic lean, asymmetrical and suppressed canopy
583	24	White Oak	Fair	Severe vine coverage, few large dead limbs, asymmetrical canopy
584	28	White Oak	Good	Heavy vine coverage, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
585	12	White Oak	Fair	Severe vine coverage, phototropic lean, asymmetrical canopy, suppressed canopy
586	18	White Oak	Dead	
587	14	White Oak	Fair	Heavy vine coverage, asymmetrical canopy, suppressed canopy, epicormic sprouting
588	41	Northern Red Oak	Fair	Heavy vine coverage, many old pruning wounds
589	18	Hickory	Poor	Severe vine coverage, severe phototropic lean, asymmetrical canopy
590	13	Hickory	Poor	Severe vine coverage, severe phototropic lean, asymmetrical canopy
591	14	Hickory	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
592	21	Hickory	Poor	Severe vine coverage, moderate lean, many dead limbs, many burls, asymmetrical canopy
593	9	Black Cherry	Poor	Severe vine coverage, severe lean, asymmetrical canopy, sinuous trunk, epicormic sprouting, poor form
594	11	Black Cherry	Poor	Severe vine coverage, moderate lean, asymmetrical canopy, sinuous trunk, epicormic sprouting, poor form
595	30	Tulip Poplar	Fair	Heavy vine coverage, sinuous upper leader, few dead limbs, burls at approximately 18'
596	25	Southern Red Oak	Fair	Heavy vine coverage, asymmetrical canopy, few dead limbs
597	14	White Oak	Fair	Heavy vine coverage, epicormic sprouts, phototropic lean, asymmetrical canopy
598	22	Southern Red Oak	Fair	Moderate lean, sinuous upper leader, heavy vine coverage, calloused vertical seam
599	13	White Oak	Fair	Severe vine coverage, epicormic sprouts, asymmetrical canopy, suppressed canopy
600	27	White Oak	Fair	Heavy vine coverage, epicormic sprouting, many dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
601	33	White Oak	Good	Severe vine coverage, few dead limbs
602	25	White Oak	Fair	Heavy vine coverage, few dead limbs, asymmetrical canopy
603	36	White Oak	Good	Heavy vine coverage
604	21	White Oak	Fair	Severe vine coverage, epicormic sprouts, few dead limbs, asymmetrical canopy
605	33	White Oak	Fair	Severe vine coverage, epicormic sprouts, phototropic lean, asymmetrical canopy, few dead limbs
606	32	Southern Red Oak	Fair	Severe vine coverage, epicormic sprouts, few dead limbs
607	23	Southern Red Oak	Fair	Severe vine coverage, epicormic sprouts, sinuous upper leader, few dead limbs
608	32	White Oak	Fair	Heavy vine coverage, epicormic sprouts, codominant at approximately 30', few dead limbs
609	12	Sweetgum	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs, suppressed canopy
610	24	White Oak	Fair	Slight vine coverage, many basal wounds at root crown, asymmetrical canopy
611	15	White Oak	Poor	Basal cavity with decay at root crown to approximately 20', epicormic sprouts, asymmetrical canopy
612	16	Post Oak	Poor	Heavy vine coverage, sinuous upper leader, asymmetrical canopy, many basal wounds with decay
613	17	Tulip Poplar	Fair	Moderate vine coverage, sinuous upper leader, many dead limbs
614	38	Southern Red Oak	Poor / Hazardous	Moderate vine coverage, basal wounds with decay at root crown. Bacterial wet wood, codominant at approximately 45', many large dead limbs, phototropic lean
615	13	White Oak	Fair	Slight vine coverage, severe epicormic sprouting, co-dominant at approximately 30'

AG TAG #	DBH	SPECIES	CONDITION	NOTES
616	13	Post Oak	Fair	Moderate vine coverage, severe epicormic sprouting, asymmetrical canopy
617	33	White Oak	Fair	Slight vine coverage, asymmetrical canopy, many large dead limbs
618	31	White Oak	Fair	Slight vine coverage, asymmetrical canopy, phototropic lean, many dead limbs, epicormic sprouts
619	39	Southern Red Oak	Fair	Slight vine coverage, asymmetrical canopy, moderate phototropic lean, many large dead limbs
620	12	Hickory	Poor	Basal cavity with decay from root crown to approximately 2', many dead limbs, top blown out,
621	16	Tulip Poplar	Fair	Moderate vine coverage, severe, crook in upper leader, few dead limbs
622	29	Water Oak	Good	Slight vine coverage, few dead limbs, epicormic sprouts
623	13	Water Oak	Poor	Severe vine coverage, epicormic sprouts, suppressed canopy, few dead limbs
624	27	Tulip Poplar	Dead	
625	18	White Oak	Fair	Severe vine coverage, moderate phototropic lean, asymmetrical canopy
626	23	Loblolly Pine	Fair	Moderate vine coverage, crook in upper canopy, thin canopy
627	22	Southern Red Oak	Poor	Moderate vine coverage, severe epicormic sprouting, poor form, severe crook in upper leader
628	21	Hickory	Fair	Slight vine coverage, moderate lean, co-dominant at approximately 30' with weak stem union and included bark, asymmetrical canopy
629	25	Southern Red Oak	Poor	Slight vines, severe epicormic sprouting, asymmetrical canopy, poor form
630	13	Loblolly Pine	Poor	Severe phototropic lean, fusiform canker at approximate 3', asymmetrical canopy, few dead limbs



AG TAG #	DBH	SPECIES	CONDITION	NOTES
631	14	Loblolly Pine	Fair	Slight vine coverage, moderate phototrophic lean, asymmetrical canopy few dead limbs
632	16	Hickory	Fair	Slight vine coverage, slight lean, few dead limbs
633	23	Loblolly Pine	Poor	Slight vine coverage, slight lean, many dead limbs, hollow, thin canopy
634	21	Loblolly Pine	Fair	Slight vine coverage, moderate lean, few large dead limbs,
635	38	Southern Red Oak	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
636	33	Southern Red Oak	Fair	Severe vine coverage, asymmetrical canopy, one large dead limb, severe epicormic sprouting
637	20	Southern Red Oak	Dead	
638	26	Southern Red Oak	Fair	Heavy vine coverage, epicormic sprouts, asymmetrical canopy, phototrophic lean
639	24	Southern Red Oak	Fair	Slight vine coverage, epicormic sprouting, codominant at approximately 45' with weak stem union and included bark
640	35	Southern Red Oak	Fair	Moderate vine coverage, basal wound at approximately 1', asymmetrical canopy, few large dead limbs
641	36	Southern Red Oak	Poor	Moderate lean, co-dominate at approximately 30' with dead lead, asymmetrical canopy
642	29	White Oak	Fair	Severe vine coverage, epicormic sprouts
643	12	Hickory	Fair	Severe vine coverage, severe lean, asymmetrical canopy
644	14	Loblolly Pine	Fair	Phototrophic lean, sweep in trunk, asymmetrical canopy
645	29	Northern Red Oak	Fair	Asymmetrical canopy, few dead limbs,
646	18	Loblolly Pine	Fair	Crook in upper leader, asymmetrical canopy

AG TAG #	DBH	SPECIES	CONDITION	NOTES
647	9	Black Cherry	Poor	Severe leans, sinuous trunk, heavy vine coverage, severe epicormic sprouting, asymmetrical canopy, many dead limbs
648	25	Water Oak	Fair	Severe vine coverage, moderate lean, severe epicormic sprouting, few dead limbs
649	32	Southern Red Oak	Poor	Severe vine coverage, asymmetrical canopy, many dead limbs, co-dominant at approximately 15' with weak stem union, on steep slope
650	15	Loblolly Pine	Fair	Moderate lean, sinuous trunk, asymmetrical canopy, heavy vine coverage
651	39	Sweetgum	Poor / Hazardous	Heavy vine coverage, many basal cavities with decay, approximately 95% dead
652	15	Hickory	Poor	Severe vine coverage, severe epicormic sprouting, possible dead, hollow
653	28	Southern Red Oak	Fair	Heavy vine coverage, severe epicormic sprouting, moderate phototropic lean, asymmetrical canopy
654	33	White Oak	Fair	Severe vine coverage, severe epicormic, sprouting few dead limbs
655	42	Southern Red Oak	Fair	Severe vine coverage, severe epicormic sprouting, few dead limbs
656	13	Hickory	Fair	Severe vine coverage, severe epicormic sprouting, few dead limbs
657	42	White Oak	Poor	Severe vine coverage, severe epicormic sprouting, many large dead limbs, top blown out
658	28	Loblolly Pine	Fair	Heavy vine coverage, moderate phototropic lean, many fusiform cankers, few large dead limbs
659	12	Southern Red Oak	Poor	Heavy vine coverage, severe epicormic sprouting, severe crook in upper leader, poor form
660	22	Loblolly Pine	Fair	Phototropic lean, many dead limbs, asymmetrical canopy

AG TAG #	DBH	SPECIES	CONDITION	NOTES
661	24	Southern Red Oak	Poor	Basal wound with decay at approximately 12", asymmetrical canopy, severe epicormic sprouting, many dead limbs, top blown out
662	26	Southern Red Oak	Poor	Severe vine coverage, co-dominate at approximately 25', approximately 95% dead
663	22	Southern Red Oak	Fair	Heavy vine coverage, moderate phototropic lean, asymmetrical canopy
664	21	Southern Red Oak	Dead	
665	24	Southern Red Oak	Poor	Severe vine coverage, severe epicormic sprouting, codominant at approximately 35' with weak stem union and included bark, moderate phototropic lean
666	14	Hackberry	Fair	Severe vine coverage, epicormic sprouting
667	14	Hickory	Fair	Severe vine coverage, codominant at approximately 22' with weak stem union, sinuous trunk
668	27	Hickory	Fair	Heavy vine coverage, severe crook in upper leader, one large dead limb
669	14	Hickory	Fair	Severe vine coverage, phototropic lean, asymmetrical and suppressed canopy
670	24	Southern Red Oak	Fair	Heavy vine coverage, severe epicormic sprouting, sinuous trunk, codominant at approximately 45'
671	33	Southern Red Oak	Fair	Many weeping wounds at approximately 2', severe vine coverage, moderate phototropic lean, asymmetrical canopy
672	24	Southern Red Oak	Fair	Moderate vine coverage, severe epicormic sprouting, moderate phototropic lean, asymmetrical canopy, suppressed canopy
673	21	Hickory	Poor	Heavy vine coverage, severe epicormic sprouting, bacterial wetwood, topped out
674	16	Hickory	Fair	Sever lean, heavy vine coverage, asymmetrical canopy

AG TAG #	DBH	SPECIES	CONDITION	NOTES
675	42	Northern Red Oak	Fair	Many burls, moderate lean, many large dead limbs, witch's broom
676	17	Northern Red Oak	Fair	Moderate vine coverage, slight lean, asymmetrical canopy, few dead limbs
677	15	Water Oak	Poor	Severe epicormic sprouting, sinuous trunk, few large dead limbs, slight lean
678	21	Water Oak	Fair	Severe epicormic sprouting, crook in trunk
679	13	American Elm	Fair	Severe phototropic lean, asymmetrical canopy, codominant at approximately 25'
680	17	Sycamore	Fair	Moderate vine coverage, weak stem union at approximately 2' with included bark, asymmetrical canopy
681	24	Was	Fair	Severe vine coverage, moderate phototropic lean, asymmetrical canopy, few dead limbs
682	28	Tulip Poplar	Fair	Severe vine coverage, moderate lean, asymmetrical canopy
683	12	Water Oak	Poor	Severe vine coverage, adjacent tree uprooted, severe phototropic lean
684	25	Tulip Poplar	Fair	Severe vine coverage, epicormic sprouts, few dead limbs
685	23	Water Oak	Fair	Severe vine coverage, severe phototropic lean, epicormic sprouts, asymmetrical canopy
686	40	Tulip Poplar	Poor	Severe vine coverage, codominant at approximately 2' with weak stem union and included bark, asymmetrical suppressed canopy
687	47	Northern Red Oak	Poor	Severe vine coverage, bacterial wetwood, epicormic sprouting, many large dead limbs,
688	12	Hickory	Good	
689	23	Southern Red Oak	Fair	Severe vine coverage, epicormic sprouting, few large dead limbs
690	16	Sweetgum	Fair	Severe vine coverage, severe epicormic sprouting, asymmetrical canopy
691	32	Northern Red Oak	Fair	Severe vine coverage, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
692	22	Hickory	Fair	Severe vine coverage, moderate lean, asymmetrical canopy
693	15	Hickory	Fair	Severe vine coverage, slight lean
694	15	Hickory	Fair	Severe vine coverage, slight lean, few dead limbs, asymmetrical canopy
695	11	Black Cherry	Fair	heavy vine coverage, severe epicormic sprouting, weak stem union at approximately 18', few dead limbs
696	9	Black Cherry	Poor	Severe lean, severe crook in trunk, weak stem union at approximately 5'
697	30	Loblolly Pine	Fair	Heavy vine, few dead limbs
698	38	White Oak	Fair	Heavy vines, asymmetrical canopy, few dead limbs
699	28	Southern Red Oak	Fair	Severe vine coverage, epicormic sprouting, many dead limbs, asymmetrical canopy
700	26	White Oak	Fair	Severe vine coverage, slight lean, few dead limbs, asymmetrical canopy
701	29	Southern Red Oak	Poor	Severe vine coverage, moderate lean, few dead limbs, asymmetrical canopy, bacterial wetwood, many burls
702	30	White Oak	Fair	Severe vine coverage, moderate lean, few dead limbs, asymmetrical canopy
703	39	Northern Red Oak	Fair	Severe vine coverage, codominant at approximately 30', asymmetrical canopy, few dead limbs
704	26	White Oak	Fair	Severe vine coverage, asymmetrical canopy, suppressed canopy, few dead limbs
705	19	White Oak	Poor	Severe vine coverage, asymmetrical canopy, suppressed canopy, few dead limbs, bacterial wetwood
706	28	Post Oak	Dead	
707	28	White Oak	Fair	Heavy vine coverage, epicormic sprouting, asymmetrical canopy few dead limbs
708	12	Hickory	Fair	Severe vine coverage, sinuous trunk, epicormic sprouting

AG TAG #	DBH	SPECIES	CONDITION	NOTES
709	43	Northern Red Oak	Fair	Heavy vine coverage, asymmetrical canopy, slight lean,
710	16	Northern Red Oak	Fair	Heavy vine coverage, moderate phototropic lean, asymmetrical canopy
711	16	Sweetgum	Fair	Heavy vine coverage, moderate phototropic lean, suppressed canopy
712	26	White Oak	Fair	Moderate vine coverage, epicormic sprouting, codominant at approximately 20' with weak stem union and included bark
713	32	White Oak	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
714	12	Northern Red Oak	Fair	Severe vine coverage, asymmetrical canopy, severe epicormic sprouting
715	20	Water Oak	Fair	Heavy vine coverage, asymmetrical canopy, phototropic lean, epicormic sprouting,
716	17	Northern Red Oak	Poor	Moderate vine coverage, moderate lean, sinuous trunk, asymmetrical canopy, basal cavity at approximately 10'
717	12	Northern Red Oak	Fair	Slight lean, few dead limbs, asymmetrical canopy
718	16	Green Ash	Poor	Moderate vine coverage, severe lean, many dead limbs, asymmetrical canopy
719	37	Northern Red Oak	Fair	Severe vine coverage, moderate lean, asymmetrical canopy, few dead limbs
720	37	Water Oak	Poor / Hazardous	Epicormic sprouting, few large dead limbs, basal cavity with decay at root crown
721	15	Hickory	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
722	14	Hickory	Fair	Moderate vine coverage, codominant at approximately 20', phototropic lean, few dead limbs
723	48	Northern Red Oak	Fair	Moderate lean, codominant at approximately 35' with weak stem union,

AG TAG #	DBH	SPECIES	CONDITION	NOTES
724	14	White Oak	Fair	Sinuous trunk, asymmetrical canopy, few dead limbs
725	16	Hickory	Fair	codominant at approximately 20', few dead limbs
726	23	Northern Red Oak	Fair	Moderate vine coverage, codominant at approximately 25' with weak stem union
727	12	Hickory	Fair	Severe vine coverage, severe crook, few dead limbs
728	14, 13, 13	Mulberry	Poor	Multistem at approximately 3' with weak stem unions and included bark, heavy vine coverage, many dead limbs, asymmetrical canopy
729	12	Mulberry	Poor	Severe vine coverage, phototropic lean, co-dominate at approximately 20', asymmetrical suppressed canopy
730	13	Black Cherry	Fair	Heavy vine coverage, codominant at approximately 30', suppressed canopy
731	38	Southern Red Oak	Poor / Hazardous	Moderate vine coverage, many large dead limbs, large basal cavity at approximately 1' to 25' with decay
732	17	Hickory	Fair	Heavy vine coverage, sinuous trunk, phototropic lean, asymmetrical canopy
733	22	Green Ash	Dead	
734	12	Tulip Poplar	Good	Severe vine coverage
735	14	Tulip Poplar	Good	Severe vine coverage
736	26	Water Oak	Fair	Moderate vine coverage, severe epicormic sprouting, few dead limbs
737	20	Loblolly Pine	Good	Moderate vine coverage, few dead limbs, asymmetrical canopy
738	24	Sweetgum	Fair	Heavy vine coverage, codominant at approximately 35 with weak stem union and included bark, few dead limbs
739	12	Mulberry	Poor	Severe vines, severe lean, asymmetrical canopy
740	19	Black Cherry	Fair	codominant at approximately 5' with weak stem union, heavy vine coverage, severe epicormic sprouting, many dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
741	17	Loblolly Pine	Poor	Severe vine coverage, large basal cavity from root crown to approximately 8' with decay, suppressed canopy
742	13	Green Ash	Fair	Co-dominate at approximately 18' with weak stem union
743	16	Loblolly Pine	Fair	Few dead limbs, thin canopy
744	17, 14	Loblolly Pine	Fair	codominant at root crown with weak stem union, moderate vine coverage
745	14	Loblolly Pine	Good	few dead limbs
746	13	Loblolly Pine	Fair	Few dead limbs, asymmetrical canopy, sinuous trunk
747	15	Loblolly Pine	Good	
748	14	Loblolly Pine	Fair	Few dead limbs, asymmetrical canopy, moderate vine coverage
749	14	Tulip Poplar	Poor	Heavy vine coverage, trunk within structural root plate of adjacent tree, sinuous trunk, asymmetrical canopy
750	13	Loblolly Pine	Dead	
751	19	Loblolly Pine	Fair	Many burls, moderate vine coverage, slight lean
752	22	Tulip Poplar	Fair	Severe vine coverage, moderate lean, few dead limbs, trunk within structural root plate of adjacent tree
753	18	Tulip Poplar	Fair	Moderate lean, asymmetrical canopy, few dead limbs
754	17	Tulip Poplar	Poor	Severe vine coverage, severe epicormic sprouting, codominant at approximately 25' with weak stem union, asymmetrical canopy
755	20	Loblolly Pine	Fair	Asymmetrical canopy, many dead limbs
756	17	Loblolly Pine	Fair	Asymmetrical canopy, many dead limbs
757	17	Tulip Poplar	Fair	Moderate lean, sinuous trunk, asymmetrical canopy
758	12	Tulip Poplar	Poor	Moderate lean, sinuous trunk, asymmetrical canopy, many dead limbs



AG TAG #	DBH	SPECIES	CONDITION	NOTES
759	16	Tulip Poplar	Fair	Moderate vine coverage, weak stem union at approximately 30', asymmetrical canopy
760	26	Loblolly Pine	Poor	Slight lean, sinuous trunk, asymmetrical canopy, thin canopy, many dead limbs, many fusiform cankers
761	22	Hickory	Fair	Many exposed roots, severe vine coverage, few dead limbs
762	19	Hickory	Poor	Heavy vine coverage, codominant at approximately 10' with weak stem union, epicormic sprouting, few dead limbs
763	13	Sweetgum	Fair	Phototropic lean, asymmetrical canopy, few dead limbs
764	12	Water Oak	Poor	Weak stem union at approximately 10', severe crook in trunk, poor form
765	31	Water Oak	Fair	Co-dominate at approximately 25' with weak stem union and included bark, few dead limbs
766	15	Loblolly Pine	Fair	Trunk within structural root plate of adjacent tree, asymmetrical canopy, few dead limbs
767	25	Loblolly Pine	Fair	Fusiform canker from approximately 1' to 6', severe vine coverage, few dead limbs
768	23	Loblolly Pine	Poor	Asymmetrical canopy, many dead limbs, moderate vine coverage, suppressed canopy, fusiform canker from approximately 1' to 12'
769	12	Loblolly Pine	Poor	Severe vine coverage, fusiform canker at approximately 12', asymmetrical canopy, thin canopy
770	17	Water Oak	Poor	Bacterial wetwood heavy vine coverage, codominant at approximately 20' with weak stem union and included bark
771	14	Loblolly Pine	Fair	Sinuous trunk, many dead limbs
772	12	Water Oak	Poor	Severe vine coverage, weak stem union at approximately 18', many dead limbs
773	22	Tulip Poplar	Fair	Severe vines, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
774	14	Water Oak	Poor	Moderate vine coverage, moderate phototrophic lean, epicormic sprouting, asymmetrical suppressed canopy
775	19	Loblolly Pine	Poor	Slight vine coverage, severe crook, fusiform canker from root crown to approximately 7', few dead limbs
776	17	Loblolly Pine	Poor	Slight lean, topped out, many dead limbs
777	18	Loblolly Pine	Fair	moderate vine coverage, asymmetrical canopy, many dead limbs
778	15	Water Oak	Poor	Moderate phototrophic lean, many dead limbs, epicormic sprouting, suppressed canopy
779	12	Loblolly Pine	Good	Few dead limbs
780	19	Black Cherry	Fair	Severe lean, moderate vine coverage, asymmetrical canopy, few dead limbs
781	23	Sweetgum	Fair	Heavy vine coverage, co-dominate at approximately 30' with weak stem union
782	14	Sweetgum	Poor	Heavy vine coverage, many dead limbs, sinuous upper leader, asymmetrical canopy
783	16	Tulip Poplar	Fair	Severe vine coverage, asymmetrical canopy, few dead limbs
784	14	Tulip Poplar	Poor	Severe vine coverage, slight lean, sinuous trunk, many basal wounds
785	26	Sweetgum	Poor	Moderate vine coverage, sinuous trunk, few dead limbs, asymmetrical canopy
786	41	Northern Red Oak	Dead	
787	6	Black Cherry	Dead	
788	14	Tulip Poplar	Poor	Sinuous trunk, tri-stem at approximately 25', many dead limbs
789	12	Sweetgum	Fair	codominant at approximately 25' with weak stem union and included bark, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
790	18	Tulip Poplar	Fair	Moderate vine coverage, asymmetrical canopy, phototropic lean, weak stem union at 25'
791	13	Sweetgum	Poor	Heavy vine coverage, weak stem union at approximately 20' with included back, top blown out
792	16	Loblolly Pine	Fair	Slight lean, few dead limbs, moderate vine coverage
793	14	Loblolly Pine	Fair	Slight lean, heavy vine coverage, asymmetrical canopy
794	10, 11	Sweetgum	Poor	codominant at root crown with weak stem union and included bark, severe lean, asymmetrical canopy, top blown out
795	16	Loblolly Pine	Fair	Few dead limbs, asymmetrical canopy
796	15	Water Oak	Poor	Heavy vine coverage, weak stem union at approximately 12', severe epicormic sprouting
797	16, 12	Water Oak	Fair	codominant at root crown with weak stem union and included bark, asymmetrical canopy, phototropic lean
798	14	Water Oak	Fair	Weak stem union at approximately 15', few dead limbs
799	19	Hickory	Fair	codominant at approximately 25' with weak stem union and included bark, phototropic lean
800	40	Water Oak	Poor	Multistem at approximately 30' with two leader blown out, basal wounds with decay
801	35	White Oak	Poor / Declining	Severe vine coverage, slight lean, epicormic sprouting, few dead limbs, basal cavity with decay
802	15	Sweetgum	Poor	Moderate vine coverage, many dead limbs, upper crown appears dead
803	31	White Oak	Good	Moderate vine coverage, co-dominant at approximate 35'
804	16	Tulip Poplar	Fair	Moderate vine coverage, codominant at approximately 30' with weak stem union and included bark

AG TAG #	DBH	SPECIES	CONDITION	NOTES
805	26	Sweetgum	Fair	Slight vine coverage, weak stem union at approximately 25'
806	15, 6	Hackberry	Fair	Weak stem union at approximately 1' with included bark, phototrophic lean, asymmetrical and suppressed canopy
807	13	Black Cherry	Poor	Moderate lean, severe epicormic sprouting, 90% dead
808	35	Post Oak	Fair	Multistem at approximately 30' with included bark, many pruning wounds, few dead limbs
809	12	Tulip Poplar	Poor	Many dead limbs, moderate phototrophic lean, severe epicormic sprouting, suppressed canopy
810	29	Post Oak	Poor / Declining	Moderate vine coverage, moderate lean, basal cavity with decay at root crown
811	22	Post Oak	Poor	Moderate phototrophic lean, many large dead limbs, possible decay
812	10	Black Cherry	Poor	Significant sweep in trunk, many dead limbs, possible decay
813	11	Black Cherry	Poor	Sinuuous trunk, moderate vine coverage, many dead limbs
814	26	Post Oak	Poor / Hazardous	Severe vine coverage, few dead limbs, many basal cavities with decay, hollow at root crown
815	14	Tulip Poplar	Good	Moderate vine coverage
816	15	Sweetgum	Fair	Severe vine coverage, few dead limbs
817	35	Post Oak	Fair	Severe vine coverage, few dead limbs, codominant at 35'
818	15	Tulip Poplar	Fair	Heavy vines, epicormic sprouting, suppressed canopy
819	26	Post Oak	Fair	Moderate vines, phototrophic lean
820	18	Tulip Poplar	Good	
821	20	Hickory	Fair	codominant at approximately 15' with weak stem union and included bark
822	15	Loblolly Pine	Fair	Moderate lean, asymmetrical and suppressed canopy
823	19	Sweetgum	Good	

AG TAG #	DBH	SPECIES	CONDITION	NOTES
824	11	Black Cherry	Poor	Severe epicormic sprouting, many basal wounds with decay, many dead limbs, 95% dead
825	42	Southern Red Oak	Poor / Hazardous	Phototrophic lean, asymmetrical canopy, basal wound with decay, few dead limbs
826	12	Sweetgum	Fair	Asymmetrical canopy, few dead limbs
827	38	Beech	Fair	Severe epicormic sprouting
828	18	Hickory	Fair	Heavy vine coverage, moderate lean, asymmetrical canopy
829	18	Hickory	Fair	Slight lean, few dead limbs, epicormic sprouting
830	39	Beech	Fair	Severe epicormic sprouting, many weak stem unions, few dead limbs
831	48	White Oak	Fair	Moderate vine coverage, many large dead limbs
832	35	Beech	Fair	Multistem at approximately 25' with weak stem union and included bark, few dead limbs
833	30	Beech	Dead	
834	37	Beech	Poor / Declining	Moderate phototrophic lean, asymmetrical canopy, basal cavity from root crown to approximately 3', few large dead limbs
835	17	Black Cherry	Poor	codominant at approximately 6' with weak stem union and included bark, sever vine, asymmetrical and suppressed canopy
836	15	Green Ash	Fair	Moderate lean, heavy vine coverage, asymmetrical canopy
837	13, 5	American Elm	Fair	Weak stem union at approximately 2' with included bark, many large dead limbs, phototrophic lean
838	18, 17	Hackberry	Poor	codominant at approximately 1' with weak stem union and included bark, moderate lean, dying leaders
839	17	Tulip Poplar	Fair	Trunk of adjacent tree with structural root plate, severe vine coverage
840	12	American Elm	Fair	Trunk of adjacent tree with structural root plate, severe vine coverage
841	10	Black Cherry	Poor	Severe lean, 95% dead

AG TAG #	DBH	SPECIES	CONDITION	NOTES
842	16	Loblolly Pine	Fair	Severe vine coverage, asymmetrical and thin canopy
843	10	Black Cherry	Poor	Severe vine coverage, codominant at approximately 15' with weak stem union and included bark, top blown out
844	11	Black Cherry	Fair	Heavy vine coverage, sinuous upper leader, epicormic sprouting
845	17	Tulip Poplar	Fair	Severe vine coverage, multistem at approximately 35'
846	15	Tulip Poplar	Fair	Heavy vine coverage, few dead limbs
847	41	Water Oak	Fair	Severe vine coverage, codominant at 15' with weak stem union, many dead limbs
848	31	Post Oak	Poor / Hazardous	Large basal wound with decay and fungal fruiting bodies at root crown
849	13, 6	Black Cherry	Poor	Weak stem union at approximately 4', severe vine coverage, epicormic sprouting, top blown out
850	17	Tulip Poplar	Fair	Severe vine coverage, epicormic sprouting
851	7	Black Cherry	Poor	Severe vine coverage, top blown out
852	12	Black Cherry	Fair	Severe vine coverage, phototrophic lean
853	17	Tulip Poplar	Fair	Severe vine coverage, phototrophic lean
854	14	Tulip Poplar	Fair	Severe vine coverage, girdling vines, asymmetrical canopy
855	16	Tulip Poplar	Fair	Severe vine coverage, few dead limbs, asymmetrical canopy
856	14	Tulip Poplar	Poor	Heavy vine coverage, asymmetrical canopy, many dead limbs, top blown out
857	13	Tulip Poplar	Fair	Heavy vine coverage, sinuous trunk, suppressed canopy
858	12	Tulip Poplar	Fair	Heavy vine coverage, sinuous trunk, suppressed canopy
859	20	Tulip Poplar	Fair	Heavy vine, slight lean, asymmetrical canopy
860	18	Tulip Poplar	Good	Few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
861	14	Tulip Poplar	Poor	Severe vine coverage, severe phototropic lean, epicormic sprouting
862	14	Tulip Poplar	Fair	Heavy vine coverage, sinuous upper leader, few dead limbs
863	13	Tulip Poplar	Fair	Root plate exposed by steep slope, codominant at approximately 40' with weak stem union
864	13	Tulip Poplar	Fair	Root plate exposed by steep slope, moderate vine coverage
865	17	Tulip Poplar	Fair	Severe vine coverage, asymmetrical and suppressed canopy
866	14	Tulip Poplar	Poor	Severe vine coverage, asymmetrical and suppressed canopy, tristem at approximately 30'
867	12	Tulip Poplar	Fair	Severe epicormic sprouting, asymmetrical and suppressed canopy
868	18	Tulip Poplar	Fair	Crook in trunk, few dead limbs
869	16	Tulip Poplar	Fair	Codominant at approximately 35' with weak stem union, sinuous trunk
870	23	Tulip Poplar	Fair	Slight lean, asymmetrical canopy, heavy vine coverage, few dead limbs
871	12, 10	Black Cherry	Poor	Co-dominate at approximately 4' with weak stem union, severe vine coverage
872	18	Hickory	Poor	Severe vine coverage, many dead limbs, large basal wound with decay at root crown to approximately 8'
873	41	Tulip Poplar	Poor	Many basal wounds with decay at root crown, few dead limbs
874	18, 14	Cottonwood	Fair	codominant at approximately 1' with weak stem union and included bark, severe vine coverage, moderate phototropic lean
875	12	Boxelder	Poor	Heavy vine coverage, severe epicormic sprouting, sinuous trunk top blown out
876	6	Black Cherry	Fair	Sinuous trunk, epicormic sprouting
877	46	Tulip Poplar	Fair	Heavy vine coverage, epicormic sprouts, many dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
878	22	Hickory	Fair	Moderate vine coverage, few dead limbs, asymmetrical canopy
879	17	Tulip Poplar	Fair	Slight vine coverage, asymmetrical and suppressed canopy, epicormic sprouting
880	18	Tulip Poplar	Fair	Slight vine coverage, asymmetrical and suppressed canopy, epicormic sprouting
881	13	Tulip Poplar	Poor	Slight vine coverage, slight lean, basal cavity with decay at approximately 15'
882	20	Tulip Poplar	Poor	Severe vine coverage, slight lean, sinuous trunk, asymmetrical and suppressed trunk
883	10	Black Cherry	Poor	Approximately 95% of tree is dead
884	25	Tulip Poplar	Fair	Weak stem union at approximately 25' with included bark, crook in trunk
885	17	Tulip Poplar	Fair	Moderate vine coverage, epicormic sprouting
886	18	Tulip Poplar	Fair	Moderate vine coverage, sinuous upper leader
887	12	Tulip Poplar	Fair	Moderate vine coverage, few dead limbs
888	13	Tulip Poplar	Fair	Heavy vine coverage, moderate lean, sinuous upper lead
889	13	Tulip Poplar	Poor	Heavy vine coverage, many dead limbs, asymmetrical canopy
890	24	Loblolly Pine	Poor	Heavy vine coverage, phototropic lean, sinuous upper leader, fusiform canker, few dead limbs, thin canopy
891	34	White Oak	Dead	
892	44	Sweetgum	Poor	Severe vine coverage, large basal cavity with decay from root crown to approximately 20', many dead limbs
893	15	Tulip Poplar	Poor	Severe epicormic sprouting, clear cut at approximately 20'
894	14, 13, 10, 9	Boxelder	Poor	Multistem at root crown with weak stem unions, severe epicormic sprouting, moderate vine coverage
895	16	Green Ash	Fair	Severe vine coverage, codominant at 25' with weak stem union



AG TAG #	DBH	SPECIES	CONDITION	NOTES
896	15	Green Ash	Poor	Severe vine coverage, codominant at approximately 15' with weak stem union, possibly dead
897	17	Green Ash	Poor	Heavy vine coverage, codominant at approximately 8', severe epicormic sprouting, one dead lead
898	16	Green Ash	Poor	Moderate lean, codominant at approximately 8' with weak stem union, severe epicormic sprouting, poor form
899	12	Green Ash	Poor	Moderate lean, severe epicormic sprouting, basal cavity with decay at approximately 5 to 8', top blown out
900	13	Boxelder	Poor	Moderate lean, severe epicormic sprouting, many dead limbs
901	18, 12	Boxelder	Dead	
902	16, 10	Boxelder	Poor	codominant at root crown with weak stem union, severe epicormic sprouting, few dead limbs, sinuous trunk
903	18	Cottonwood	Poor	Heavy vine coverage epicormic sprouting, sinuous trunk, codominant at approximately 30', many dead limbs
904	13	Green Ash	Poor	Severe vine coverage, codominant at approximately 25', epicormic sprouting, many dead limbs
905	10, 12, 11	Cottonwood	Poor	Severe lean, severe epicormic sprouting, sinuous trunk, codominant at root crown to approximately 3', weak stem union
906	13, 6	Boxelder	Fair	Heavy vine coverage, severe epicormic sprouting, moderate lean, sinuous trunk
907	13	Boxelder	Poor	Severe vine coverage, sever epicormic sprouting many large dead limbs
908	16	Green Ash	Fair	Severe vine coverage, tri-stem at approximately 15' with weak stem union
909	14	Green Ash	Fair	Severe vine coverage, sinuous trunk

AG TAG #	DBH	SPECIES	CONDITION	NOTES
910	20, 12	Green Ash	Poor	Weak stem union at root crown, severe vine coverage severe epicormic sprouting, moderate lean
911	16	Green Ash	Fair	Severe vine coverage, moderate lean, co-dominate at approximately 20'
912	36	Cottonwood	Poor / Hazardous	Heavy vine coverage, basal cavity at approximately 4', many large dead limbs, sever mistletoe, hollow
913	34	Green Ash	Poor / Declining	Heavy vine coverage, many large dead limbs, severe epicormic sprouting, basal cavity at approximately 2' with decay
914	12	Green Ash	Poor	Heavy vine coverage, severe lean, possible dead
915	29	Boxelder	Poor	codominant at approximately 5' with weak stem union at approximately 8', significant included bark
916	20	Boxelder	Poor	codominant at approximately 1' with weak stem union, one dead leader, moderate lean
917	34	Hickory	Fair	Epicormic sprouting, many dead limbs
918	13, 10	Boxelder	Poor	Heavy vine coverage, codominant at approximately 4' with weak stem union and included bark
919	22	Green Ash	Poor	Heavy vine coverage, moderate lean, severe epicormic sprouting many dead limbs
920	15	Hackberry	Fair	Heavy vine coverage, codominant at approximately 25', crook in main leader
921	23	Boxelder	Poor	Heavy vine coverage, moderate lean, severe epicormic sprouting, many dead limbs
922	41	Tulip Poplar	Fair	Severe vine coverage, slight lean, many dead limbs
923	13	Boxelder	Poor	Severe epicormic sprouting, slight lean, many basal wounds with decay, sinuous trunk
924	27	Tulip Poplar	Fair	Heavy vine coverage, slight phototropic lean, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
925	23	Green Ash	Poor	Severe lean, many dead limbs, severe epicormic sprouting
926	26	Tulip Poplar	Fair	Heavy vine coverage, many dead limbs
927	37	Sycamore	Poor	Heavy vine coverage, moderate lean, many basal wounds with decay
928	15	Boxelder	Fair	Severe vine coverage, moderate lean, severe epicormic sprouting, many dead limbs,
929	15	Boxelder	Poor	Heavy vine coverage, severe lean towards creek, basal cavity at root crown with decay
930	14	Boxelder	Poor	Heavy vine coverage, severe lean over creek, severe epicormic sprouting, many dead limbs
931	21	Cottonwood	Fair	Heavy vine coverage, phototrophic lean
932	14	Sycamore	Fair	Heavy vine coverage, phototrophic lean, asymmetrical canopy
933	12	Sycamore	Poor	Severe vine coverage, phototrophic lean, asymmetrical and suppressed canopy, many dead limbs
934	44, 12, 8	Boxelder	Poor	Severe vine coverage, moderate lean, many large dead limbs, many basal cavities with decay
935	20	American Elm	Fair	Severe vine coverage, codominant at approximately 12' with weak stem attachment
936	41	Hackberry	Poor	Multistem at approximately 4' with weak stem unions, heavy vine coverage, many basal wounds with decay, few dead limbs
937	14	Hackberry	Fair	Moderate lean, asymmetrical canopy, basal wound at approximately 25'
938	13	Boxelder	Poor	Moderate lean, codominant at approximately 20' with weak steam union and included bark, many basal wounds
939	13	Boxelder	Poor	Slight lean, codominant at approximately 25' with included bark, severe epicormic sprouting, many dead limbs
940	≈ 20	Boxelder	Poor	Severe lean, 85% dead

AG TAG #	DBH	SPECIES	CONDITION	NOTES
941	13, 10	Silver Maple	Poor	Multistem at root crown, moderate lean, many dead limbs, basal cavity with decay at approximately 20'
942	25	Sycamore	Poor	Moderate lean over creek, many basal wounds, many dead limbs, asymmetrical canopy
943	≈ 14	Boxelder	Poor	Severe vine coverage, severe lean over creek, severe epicormic sprouting, many dead limbs
944	20, 14	Hackberry	Poor	Co-codominant at root crown with weak stem union, moderate lean, severe vine coverage, many dead limbs
945	21	Green Ash	Poor	Heavy vine coverage, codominant at approximately 12', approximately 95% dead
946	12	American Elm	Poor	Severe lean, many dead limbs, severe epicormic sprouting
947	22	Cottonwood	Fair	Moderate lean, many dead limbs
948	22	Boxelder	Poor	Severe vine coverage, severe epicormic sprouting, codominant at approximately 6', approximately 90% dead
949	22, 18, 14, 14	Silver Maple	Fair	Multistem at approximate 2' with weak stem union and included bark
950	12, 11	Silver Maple	Poor	codominant at approximately 2' weak stem union and severe included bark, many dead limbs, severe epicormic sprouting
951	15, 13	American Elm	Poor	codominant at approximately 2' weak stem union and severe included bark, many dead limbs, severe epicormic sprouting, asymmetrical and suppressed canopy
952	16	Boxelder	Poor	Severe lean, severe epicormic sprouting, many basal wounds with decay
953	13, 13	Boxelder	Poor	codominant at root crown with weak stem union and included bark, moderate lean, severe epicormic sprouting

AG TAG #	DBH	SPECIES	CONDITION	NOTES
954	14	Boxelder	Poor	Moderate lean, heavy vine coverage, severe epicormic sprouting, many dead limbs, asymmetrical canopy
955	15	Boxelder	Poor	Moderate lean, heavy vine coverage, severe epicormic sprouting, many dead limbs, asymmetrical canopy
956	18	Boxelder	Poor	Moderate lean, codominant at approximately 10' with weak stem union, few dead limbs, epicormic sprouting
957	12, 10	Boxelder	Poor	Moderate lean, codominant at approximately 2' with severe included bark, many basal wounds, severe epicormic sprouting
958	13	Boxelder	Poor	Moderate lean, asymmetrical canopy, severe epicormic sprouting, many dead limbs, many basal wounds
959	35	Silver Maple	Fair	codominant at approximately 4' with weak stem union and severe included bark
960	14	Silver Maple	Fair	Severe vine coverage, phototropic lean, asymmetrical canopy,
961	16	Boxelder	Poor	Severe vine coverage, codominant at approximately 20' with weak stem union and included bark, epicormic sprouting, few dead limbs
962	13, 8	Boxelder	Fair	Heavy vine coverage, codominant at root crown with weak stem unions and included bark
963	18, 18, 16, 13, 12	Silver Maple	Poor	Multistem at root crown with weak stem unions and included bark, phototropic lean, severe epicormic sprouting
964	24	Silver Maple	Fair	Heavy vine coverage, moderate lean, many dead limbs
965	14	Boxelder	Poor	Severe lean, severe epicormic sprouting, many basal wounds with decay, many dead limbs
966	14	Boxelder	Dead	

AG TAG #	DBH	SPECIES	CONDITION	NOTES
967	15, 15	Boxelder	Poor	Heavy vine coverage, co-dominant at approximately 2' with weak stem union and included bark, one leader dead
968	19, 16, 14, 13	Boxelder	Poor	Moderate vine coverage, multistem at root crown, severe epicormic sprouting, many basal wounds with decay
969	15, 15	Boxelder	Poor	codominant at approximately 4' with weak stem union and severe included bark, moderate lean
970	24	Silver Maple	Fair	Few dead limbs, codominant at approximately 30'
971	14	Boxelder	Fair	Moderate vine coverage, many dead limbs
972	14	Silver Maple	Fair	Moderate lean, few dead limbs, asymmetrical canopy
973	22	Boxelder	Poor	codominant at approximately 5' with weak stem union and severe included bark, severe epicormic sprouting, phototrophic lean
974	18	Boxelder	Poor	Severe lean over creek, many dead limbs, severe epicormic sprouting
975	13	Boxelder	Poor	Heavy vine coverage, phototrophic lean, 95% dead
976	17	Boxelder	Poor	Sever lean, severe epicormic sprouting, many dead limbs, many basal wounds with decay
977	21	Boxelder	Poor	Severe vine coverage, moderate lean, many dead limbs, many basal wounds with decay
978	17	Boxelder	Dead	
979	12	Boxelder	Poor	Severe lean over creek, many dead limbs, top blown out
980	16	Boxelder	Poor	Severe vine coverage, severe lean, sinuous trunk, many dead limbs
981	16	Cottonwood	Fair	Sinuous trunk, many dead limbs, moderate lean
982	13	Cottonwood	Poor	Sinuous trunk, many dead limbs, poor form
983	12, 10	Cottonwood	Poor	Sinuous trunk, many dead limbs, moderate lean over creek

AG TAG #	DBH	SPECIES	CONDITION	NOTES
984	20, 22, 14, 14	Boxelder	Poor	Multistem at root crown with weak stem union, severe phototrophic lean, many dead limbs, many basal wounds
985	17	Boxelder	Poor	Severe vine coverage, basal cavity at root crown, sinuous trunk, many dead limbs, epicormic sprouting
986	12	Boxelder	Poor	Moderate lean, severe epicormic sprouting, many dead limbs
987	16	Boxelder	Fair	Severe vine coverage, sinuous trunk, many dead limbs
988	12	Boxelder	Dead	
989	12	Boxelder	Poor	Heavy vine coverage, severe crook, many basal wounds
990	17	Boxelder	Poor	Heavy vine coverage, tristem at approximately 15' with weak stem union, many dead limbs
991	14	Boxelder	Fair	Heavy vine coverage, phototrophic lean, codominant at approximately 30' with weak stem union
992	12	Boxelder	Poor	Moderate lean, many dead limbs, epicormic sprouting, top blown out
993	15	Boxelder	Dead	
994	18, 18, 10	Hackberry	Fair	Tristem at approximately 3' with weak stem union and included bark, few dead limbs
995	27	Boxelder	Poor	Coo-dominant at approximately 2' with weak stem union and included bark, moderate phototrophic lean
996	13, 12	Boxelder	Poor	codominant at root crown with weak stem union and included bark, phototrophic lean, asymmetrical canopy
997	15, 7	Silver Maple	Fair	codominant at root crown, weak stem union at approximately 20', phototrophic lean
998	22, 18, 14, 7	Silver Maple	Poor	Multistem at approximately 1' with weak stem union, one dead leader, phototrophic lean
999	13, 10	Silver Maple	Poor	codominant at root crown, weak stem union, severe epicormic sprouting, many dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1000	17	Boxelder	Poor	Sweep in trunk, codominant at approximately 20' asymmetrical canopy
1001	12, 10, 6	Silver Maple	Fair	Tristem at root crown, moderate lean over creek
1002	16, 10	Boxelder	Poor	codominant at root crown with weak stem union, leader missing, moderate lean
1003	39	Cottonwood	Fair	Severe vine coverage, few large dead limbs, codominant at approximately 35'
1004	20	Boxelder	Poor	codominant at approximately 5' with weak stem union, many basal cavities, severe epicormic sprouting, moderate lean
1005	12	Boxelder	Dead	
1006	13	Boxelder	Poor	Severe epicormic sprouting, many basal cavities with decay
1007	22	Cottonwood	Fair	Slight lean, codominant at approximately 45' with weak stem union
1008	12, 8	Boxelder	Poor	Moderate lean, severe epicormic sprouting, many basal wounds with decay, many dead limbs
1009	12	Boxelder	Poor	Sever epicormic sprouting, asymmetrical canopy, many basal wounds with decay
1010	13	Boxelder	Poor	Moderate lean, severe epicormic sprouting, many basal wounds
1011	41	Cottonwood	Good	Heavy vine coverage
1012	12	River Birch	Fair	Moderate lean over creek, few dead limbs
1013	15	Boxelder	Poor	Severe lean over creek, many basal wounds, many dead limbs
1014	14	Boxelder	Poor	Severe vine coverage, severe epicormic sprouting, large basal cavity at approximately 20', phototropic lean
1015	39	Cottonwood	Fair	Calloused seam from root crown to approximately 25'
1016	12	Tulip Poplar	Poor	Moderate lean, crook in trunk burl at approximately 6'



AG TAG #	DBH	SPECIES	CONDITION	NOTES
1017	12	Boxelder	Poor	Severe lean over creek, few dead limbs, sinuous trunk
1018	18	Hackberry	Fair	Basal cavity at approximately 3', codominant at approximately 20'
1019	15	Boxelder	Poor	Sinuous trunk, codominant at approximately 15' with weak stem union, many basal cavities with decay
1020	12	Sycamore	Poor	Heavy vine coverage, sinuous trunk, phototropic lean, asymmetrical canopy
1021	17	Sycamore	Fair	Severe vine coverage, slight lean, few dead limbs, asymmetrical canopy
1022	14	Boxelder	Poor	Severe vine coverage, moderate lean, few dead limbs
1023	15, 12	Boxelder	Poor	codominant at root crown, heavy vine coverage, many dead limbs
1024	19	Hackberry	Poor	Phototropic lean, sinuous trunk, weak stem union at approximately 30', few dead limbs
1025	21	Hackberry	Fair	Heavy vine coverage, asymmetrical canopy, codominant at approximately 25' with weak stem union
1026	19, 17	Hackberry	Fair	Heavy vine coverage, many basal wounds, few dead limbs
1027	13	Boxelder	Poor	Sever vine coverage, many dead limbs, asymmetrical and suppressed canopy
1028	13	Boxelder	Dead	
1029	15	Hackberry	Fair	Severe vine coverage, slight lean
1030	14, 12	Silver Maple	Poor	codominant at root crown, severe epicormic sprouting, many dead limbs
1031	12	Boxelder	Fair	Few dead limbs
1032	18, 13, 10	Silver Maple	Fair	Phototropic lean, asymmetrical canopy, multistem at root crown
1033	15	Silver Maple	Fair	Severe vine coverage, epicormic sprouting, asymmetrical canopy
1034	13, 10	Boxelder	Poor	Severe vine coverage, codominant at root crown with weak stem union

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1035	26	Silver Maple	Fair	Severe epicormic sprouting, phototrophic lean
1036	14	Boxelder	Dead	
1037	13	Boxelder	Dead	
1038	16	Boxelder	Poor	Heavy vine coverage, moderate lean over creek, weak stem union at approximately 12'
1039	28	Sycamore	Fair	Moderate vine coverage, few dead limbs
1040	17	Boxelder	Poor	Multistem at approximately 6', severe epicormic sprouting, approximately 85% dead
1041	12	American Elm	Fair	Heavy vine coverage, phototrophic lean, asymmetrical canopy
1042	20	Sycamore	Good	
1043	14	River Birch	Fair	Phototrophic lean, epicormic sprouting, few dead limbs
1044	12	Sycamore	Fair	Severe vine coverage, asymmetrical and suppressed canopy
1045	19	Hackberry	Fair	Moderate lean over creek, few dead limbs
1046	16	Green Ash	Good	
1047	20, 13	Green Ash	Fair	Codominant at approximately 5' with weak stem union and included bark, severe epicormic sprouting, heavy vine coverage
1048	13, 9, 9	Boxelder	Fair	Multistem at root crown, severe epicormic sprouting, few dead limbs
1049	20, 14	Boxelder	Poor	codominant at approximately 1' with weak stem union approximately 8', approximately 95% dead
1050	53	Water Oak	Fair	Mechanical damage to exposed roots, many old pruning wounds, many basal wounds with decay, few dead limbs
1051	53	Water Oak	Poor	Multistem at approximately 18' with weak stem union and included bark, few large dead limbs, moderate mistletoe

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1052	57	Water Oak	Fair	Severe epicormic sprouting, codominant at approximately 20' with weak stem union and included bark, many dead limbs, mechanical damage to exposed roots
1053	69	Water Oak	Fair	Multistem at approximately 15' with weak stem union, severe epicormic sprouting, some canopy loss, mechanical damage to exposed roots
1054	44	Water Oak	Fair	Multistem at approximately 15', severe epicormic sprouting, many basal wounds with decay
1055	50	Water Oak	Poor / Hazardous	Weak stem union at approximately 10', severe epicormic sprouting, many large dead limbs, mistletoe, fungal fruit bodies on root flare
1056	53	Water Oak	Poor	100's of basal wounds due to golf ball strikes, codominant at approximately 10' with weak stem union and included bark
1057	58	Water Oak	Fair	Multistem at approximately 15', severe epicormic sprouting, many pruning wounds, mistletoe
1058	52	Water Oak	Poor	Multistem at approximately 15', severe epicormic sprouting, many basal wounds with decay, asymmetrical canopy
1059	60	Water Oak	Fair	Multistem at approximately 15', severe epicormic sprouting, mechanical damage to exposed roots
1060	62	Water Oak	Poor	Multistem at approximately 12', severe epicormic sprouting, mechanical damage to exposed roots, many basal wounds
1061	59	Water Oak	Fair	Multistem at approximately 20', severe epicormic sprouting, basal wound at root crown, few dead limbs, mistletoe
1062	66	Water Oak	Fair	Multistem at approximately 18', severe epicormic sprouting, mechanical damage on exposed roots, few dead limbs

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1063	17	Bald Cypress	Good	
1064	17	Bald Cypress	Fair	Codominant at approximately 12'
1065	16	Bald Cypress	Good	
1066	13	Bald Cypress	Good	
1067	15	Pin Oak	Good	
1068	58	Water Oak	Fair	Multistem at approximately 12', severe epicormic sprouting, many basal wounds, mechanical damage on exposed roots, mistletoe
1069	15	Bald Cypress	Good	
1070	60	Water Oak	Fair	Many dead limbs, mistletoe, multistem at approximately 18', severe epicormic sprouting
1071	50	Water Oak	Poor / Hazardous	Multistem at approximately 18', severe epicormic sprouting, basal cavity with fungal fruiting bodies at approximately 5', many basal wounds, many dead limbs
1072	36	Winged Elm	Fair	Multistem at approximately 10', epicormic sprouting, many basal wounds, few dead limbs
1073	67	Water Oak	Fair	Multistem at approximately 15', severe epicormic sprouting, many basal wounds, many dead limbs, mistletoe
1074	68	Water Oak	Poor / Hazardous	Multistem at approximately 15', severe epicormic sprouting, 100's of basal wounds caused by golf ball strikes, fungal fruiting bodies present, many dead limbs
1075	64	Water Oak	Fair	Multistem at approximately 15', severe epicormic sprouting, mechanical damage to exposed roots, many basal wounds, mistletoe
1076	17	Pin Oak	Good	
1077	15	Pin Oak	Good	
1078	14	Pin Oak	Good	

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1079	7	Black Cherry	Fair	Severe vine coverage
1080	22	Sycamore	Poor	Moderate lean, heavy vine coverage, central leader is dead
1081	34	Sycamore	Fair	Moderate lean, heavy vine coverage, few large dead limbs
1082	14	Black Cherry	Dead	
1083	15	Boxelder	Dead	
1084	13	Green Ash	Dead	
1085	20	American Elm	Fair	Severe vine coverage, codominant at approximately 15' with weak stem union and included bark
1086	19	Black Cherry	Poor	Codominant at approximately 25' with weak stem union, 1 lead dead, phototropic lean
1087	24	Sycamore	Fair	Severe vine coverage, moderate lean
1088	21	American Elm	Fair	Severe vine coverage, few dead limbs
1089	15	Hackberry	Fair	Severe vine coverage, suppressed canopy
1090	14	Boxelder	Poor	Moderate lean over creek, multistem at approximately 12', central lead dead
1091	15	Boxelder	Poor	sever vine coverage, moderate lean, possibly dead
1092	15	Tulip Poplar	Fair	Heavy vine coverage, moderate lean, many dead limbs
1093	16	Black Cherry	Poor	Heavy vine coverage, moderate lean, sweep in trunk, many dead limbs, suppressed canopy
1094	25	Green Ash	Poor	Severe vine coverage, moderate lean, codominant at approximately 20'
1095	23	Boxelder	Poor	Severe vine coverage, severe lean, many dead limbs, asymmetrical canopy
1096	49	Green Ash	Poor / Hazardous	Codominant at 15', large basal wounds from root crown to approximately 25', many basal cavities with decay
1097	36	Silver Maple	Fair	Multistem at approximately 15', many burls

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1098	23	Silver Maple	Fair	Severe epicormic sprouting, few dead limbs
1099	28	Silver Maple	Fair	Mechanical damage to exposed roots, few dead limbs
1100	25	Silver Maple	Fair	Mechanical damage to exposed roots, few dead limbs
1101	21	Silver Maple	Fair	Mechanical damage to exposed roots, few dead limbs
1102	56	Water Oak	Poor	Weak stem union at approximately 15', severe epicormic sprouting, 100's of basal wounds caused by golf ball strikes, few large dead limbs, severe mistletoe
1103	63	Water Oak	Fair	Multistem at approximately 18', severe epicormic sprouting, 100's of basal wounds caused by golf ball strikes, many dead limbs, mistletoe
1104	48	Water Oak	Poor	Multistem at approximately 10', severe epicormic sprouting, 100's of basal wounds caused by golf ball strikes, many basal wounds with decay, few dead limbs, mistletoe
1105	21	Red Maple	Fair	Many old pruning wounds, mechanical damage to exposed roots
1106	25	Red Maple	Fair	Multistem at approximately 8' with weak stem union, basal cavity at approximately 1'
1107	65	Water Oak	Fair	Severe epicormic sprouting, mistletoe, many large dead limbs, many basal wounds
1108	60	Water Oak	Fair	Many basal wounds, many dead limbs, many old pruning wounds, epicormic sprouting
1109	12	Red Maple	Fair	Critical root zone significantly impacted by retaining wall, codominant at approximately 8' with weak stem union and included bark
1110	12	White Oak	Good	
1111	12	Willow	Fair	Multistem at root crown, few dead limbs
1112	15, 15, 15	Green Ash	Fair	Multistem at root crown, many dead limbs, structural root plate impeded by creek, weak stem unions with included bark

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1113	12	Boxelder	Poor	Basal cavity at root crown, structural root plate impeded by creek
1114	14	Green Ash	Fair	Heavy vine coverage, few dead limbs, structural root plate impeded by creek
1115	33, 22	Green Ash	Fair	Codominant at root crown, significant epicormic sprouting, weak stem union at approximately 16' with included bark
1116	42	Green Ash	Poor / Declining	Basal cavity with rot and decay at approximately 12' to 16', recent leader failure, multistem at approximately 25'
1117	47	Green Ash	Fair	Many unhealed pruning wounds and limb failures, many basal cavities
1118	44	Green Ash	Fair	Many unhealed pruning wounds and limb failures, few epicormic sprouts, basal cavity with decay at approximately 2'
1119	50	Water Oak	Fair	Many unhealed pruning wounds, few large dead limbs, severe epicormic sprouting, recent large limb failure with decay
1120	59	Water Oak	Fair	Many large dead limbs, 1000's of basal wounds due to gold ball strikes, severe epicormic sprouting, weeping basal wound at approximately 6'
1121	54	Water Oak	Poor / Hazardous	Large basal cavity at approximately 16' with decay, weak stem union at approximately 10', 100's of basal wounds due to gold ball strikes
1122	69	Green Ash	Fair	Multistem at root crown, basal cavity with decay at approximately 8' to 10', few dead limbs
1123	33	Weeping Willow	Poor	Many large dead limbs, weak stem union with complete decay of leader, multistem at approximately 8'
1124	34	Green Ash	Poor / Declining	Basal cavity with decay at approximately 3' to 6', many unhealed pruning wounds
1125	35	Green Ash	Poor / Declining	Many large limb failures with decay, basal cavity at approximately 14' with decay

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1126	34	Green Ash	Poor / Declining	Large basal cavity at approximately 10' with decay
1127	41	Green Ash	Poor / Declining	Many large dead limbs, many recent limb failures, epicormic sprouting
1128	57	American Elm	Good	Weak stem union at approximately 8' with included bark, many unhealed pruning wounds
1129	60	Green Ash	Poor / Declining	Weak stem union with included bark, lost main lead, basal cavity with decay, corrected trunk lean
1130	35	Green Ash	Good	Few dead limbs
1131	47	Water Oak	Fair	Many old pruning wounds and limb failures, basal cavity with decay at approximately 1'
1132	46	Water Oak	Fair	Extensive gall at approximately 8', many basal cavities with decay, few large dead limbs
1133	41	Water Oak	Fair	Multistem at approximately 10', few dead limbs, basal cavity at approximately 15' with decay
1134	55	Water Oak	Poor / Declining	1000's of basal wounds due to golf ball strikes, severe epicormic sprouting, many dead limbs, basal cavities on many limbs
1135	53	Water Oak	Poor / Hazardous	100's of basal wounds due to golf ball strikes, many large basal cavities on over extended limbs, many dead limbs hanging
1136	50	Water Oak	Poor / Declining	1000's of basal wounds due to golf ball strikes, many large dead limbs, many large unhealed pruning wounds, possible girdling roots, significant epicormic sprouting
1137	31	Water Oak	Fair	Mistletoe, 100's of basal wounds due to golf ball strikes, significant epicormic sprouting, few unhealed pruning wounds
1138	41	Winged Elm	Good	
1139	53	Water Oak	Poor / Hazardous	Fungal fruiting bodies from root crown to approximately 10', basal wounds with decay, large unhealed pruning wounds



AG TAG #	DBH	SPECIES	CONDITION	NOTES
1140	52	Southern Red Oak	Poor / Hazardous	50% of tree is dead, fungal fruiting bodies at root crown, many large dead limbs
1141	35	Winged Elm	Fair	Basal cavity at approximately 8' with decay, few unhealed pruning wounds, epicormic sprouting
1142	49	Water Oak	Fair	100's of basal wounds due to golf ball strikes, fused limb to leader, many large dead limbs, significant epicormic sprouting
1143	53	Water Oak	Fair	100's of basal wounds due to golf ball strikes, severe epicormic sprouting, mistletoe, many large dead limbs
1144	16, 10	Willow	Poor	Codominant at approximately 3' with weak stem union, many large dead limbs, significant lean, severe vine coverage
1145	12	Willow	Poor	Severe vine overage, many dead limbs, significant lean over pond
1146	12	Willow	Poor	Severe vine overage, many dead limbs, significant lean over pond
1147	15	Willow	Poor	Severe vine overage, many dead limbs, significant lean over pond
1148	14	Red Maple	Poor	Severe vine coverage, crook in trunk, severe epicormic sprouting, multistem at approximately 12', significant lean
1149	12	Hackberry	Poor	Severe vine coverage, no central leaders, few dead limbs
1150	42	Boxelder	Poor	Multistem at approximately 12' with weak stem union and included bark, severe vine coverage, many large dead limbs
1151	14	Chinese Tallow	Fair	Considered invasive in coastal regions, some vine coverage, weak stem union at approximately 10'
1152	14	Green Ash	Poor	Multistem at approximately 6' with weak stem union, many dead limbs
1153	12, 12	Red Maple	Poor	Multistem at root crown, significant vine coverage, codominant at approximately 20'

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1154	12	Green Ash	Fair	Multistem at approximately 20', some vine coverage
1155	14, 8	Sycamore	Poor	Codominant at root crown, dead weak stem union with decay at root crown
1156	14, 14	Sycamore	Fair	Significant vine coverage
1157	62	Water Oak	Fair	Many unhealed pruning wounds with rot and decay, many basal wounds weeping, significantly epicormic sprouting
1158	26	Boxelder	Poor	Many large dead limbs, significant epicormic sprouting, approximately 30% dieback
1159	13	Boxelder	Poor	Asymmetrical and suppressed canopy, many dead limbs, significant epicormic sprouting
1160	14	Boxelder	Poor	Asymmetrical and suppressed canopy, many dead limbs, significant epicormic sprouting, heavy vine coverage
1161	31	Willow	Fair	Many dead limbs, possible girdling root, multistem at approximately 20'
1162	27	Green Ash	Fair	Weak stem union at approximately 10', codominant at approximately 16', slight lean, asymmetrical canopy
1163	16	Boxelder	Poor / Declining	Top blown out, severe epicormic sprouting, rot and decay present
1164	29	Boxelder	Poor	Multistem at approximately 6' with weak stem union and included bark, many large dead limbs, approximately 30% dieback
1165	25	Hackberry	Poor	Codominant at approximately 4' fused back at 10', significant lean, asymmetrical canopy
1166	29	Green Ash	Fair	Multistem at approximately 8', weak stem union at approximately 4', many dead limbs
1167	12	Tulip Poplar	Good	
1168	13	White Oak	Good	
1169	16, 8	Sycamore	Fair	Weak stem union at approximately 6' with included bark, significant vine coverage

AG TAG #	DBH	SPECIES	CONDITION	NOTES
1170	18, 16	River Birch	Fair	Multistem at approximately 6' with included bark, few dead limbs
1171	14	Boxelder	Poor	Many basal cavities, approximately 30% dieback, multistem at approximately 2' with weak stem union and included bark
1172	12, 10	Silver Maple	Fair	Multistem at root crown, few dead limbs
1173	14, 12	Silver Maple	Fair	Multistem at root crown, few dead limbs
1174	12	Green Ash	Good	
1175	14, 12	Silver Maple	Fair	Multistem at root crown, significant lean over creek, few dead limbs
1176	12	Green Ash	Fair	Codominant at approximately 20'
1177	12, 12, 12	Red Maple	Poor	Multistem at root crown, significant lean over creek
1178	10, 12, 10, 8	Red Maple	Poor	Multistem at root crown, significant lean over creek
1179	16	Mimosa	Poor	Weak stem union at approximately 4', approximately 30% dieback, significant lean, Asymmetrical and suppressed canopy
1180	14, 12	Winged Elm	Fair	Multistem at root crown, few dead limbs
1181	14	Winged Elm	Fair	Significant vine coverage, few dead limbs
1182	14	Winged Elm	Fair	Significant vine coverage, few dead limbs